

**Optimize Your Network Efficiency with a Simple Touch**

- ▶ Ultra PoE, PoE+, Gigabit
- ▶ 10G SFP+ Uplink
- ▶ Industrial Flat Type
- ▶ Redundant Power Protection

[view Video](#)

Sconto Riservato Planet ▶ 0%

Codice	Descrizione Prodotto	Prezzo Utente Finale	Sconto
<b>Universal Network Management System</b>			
UNI-NMS-LITE	Free software version of Universal Management Controller - 100 nodes. Supports topology, monitoring and configuration (this free version has limited functions compared to other hardware NMS models (such as NMS-500, NMS-1000V)).	FREE	0.00%
NMS-500	Enterprise-class Universal Network Management Controller - 500 nodes (5 10/100/1000T LAN Ports, SNMP/ONVIF/SmartDiscovery, auto-topology, AP Grouping, batch provisioning, floor map, RADIUS server built-in, Event alarm, DDNS, cybersecurity features)	1,299.00	0.00%
NMS-1000V-10	Enterprise-class Universal Network Management Controller with 10" LCD Touch screen- 1024 nodes (2 10/100/1000T LAN Ports, SNMP/ONVIF/SmartDiscovery, auto-topology, AP Grouping, batch provisioning, floor map, RADIUS server built-in, Event alarm, DDNS, cybersecurity features, Wizard setup, Alert pop-up)	2,356.00	0.00%
NMS-1000V-12	Enterprise-class Universal Network Management Controller with 12" LCD Touch screen- 1024 nodes (2 10/100/1000T LAN Ports, SNMP/ONVIF/SmartDiscovery, auto-topology, AP Grouping, batch provisioning, floor map, RADIUS server built-in, Event alarm, DDNS, cybersecurity features Wizard setup)	2,887.00	0.00%
UNC-NMS	Universal Network Management Central Controller - 1024 x 100 nodes (19-inch rack-mount, System LCD, 6 10/100/1000T LAN Ports, 1 pair bypass, centrally manages up to 100 sites of NMS-500/NMS-1000V series, site map viewing and topology view, top 10-site events, history comparison graph and critical event chart for analyzing network status)	2,090.00	0.00%
NMS-ST	LCD stand for NMS-1000V series (VESA 75/100, Adjustable display angle, Material: Heavy-duty steel, support up to 10kg)	165.00	0.00%
<b>LAN SWITCH MANAGED (L3 e L2+)</b>			
<b>Telecom/Datacenter Layer 3 Lan Switch</b>			
CS-6306R	6-Slot Layer 3 IPv6/IPv4 Routing Chassis Switch (2 management slots, 4 switch slots, 3 power slots and 1 fan module)	2,901.00	0.00%
CS6-PWR550-AC	550-watt AC Power Module for CS-6306R, full load of all switch modules	596.00	0.00%
CS6-PWR550-DC	550-watt DC Power Module for CS-6306R, full load of all switch modules	643.00	0.00%
CS6-MCU	Multi-layer Management Module for CS-6306R (1 Management port, 1 Console port)	3,053.00	0.00%
CS6-S16X	16-Port 10G SFP+ Switch Module for CS-6306R	4,881.00	0.00%
CS6-S24S8X	24-Port 1000X SFP + 8-Port 10G SFP+ Switch Module for CS-6306R	3,834.00	0.00%
CS6-S24T24S	24-Port 10/100/1000T + 24-Port 1000X SFP Switch Module for CS-6306R	3,780.00	0.00%
CS6-S24T8X	24-Port 10/100/1000T + 8-Port 10G SFP+ Switch Module for CS-6306R	3,884.00	0.00%
CS6-S48S	48-Port 1000X SFP Switch Module for CS-6306R	3,884.00	0.00%
CS6-S48T	48-Port 10/100/1000T Switch Module for CS-6306R	3,662.00	0.00%
CS6-S4Q	4-Port 40G QSFP+ Switch Module for CS-6306R	5,653.00	0.00%
XGS3-24242 (v2)	Layer 3 24-Port 100/1000X SFP with 16-Port shared TP + 4-Port 10G SFP+ Stackable Managed Switch + plus 2 Hardware Stacking ports, trunking stack up to 6 units, Optional Redundant Power Mod. XGS3-PWR150-AC <b>DISPONIBILE SOLO SU RICHIESTA: evasione 3/4 settimane dall' ordine</b>	3,407.00	0.00%
XGS3-PWR150-AC	150-Watt AC power supply is ONLY for XGS3-24242(v2) (100V-240VAC)	438.00	0.00%
XGS3-24242 (v3)	Layer 3 24-Port 100/1000X SFP with 8-Port shared TP + 4-Port 10G SFP+ Stackable Managed Gigabit Switch With/36-75V DC Redundant Power, trunking stack up to 4 units	2,134.00	0.00%
XGS3-24042 (v3)	Layer 3 (V3) 24-Port 10/100/1000T with 4-port shared 1000X SFP + 4-Port 10G SFP+ 1 Port USB 2.0 + RJ45 Type Consol +MGMT Port.IP Stacking Managed Switch,trunking stack up to 24 units,With Dual 100-240V AC Redundant Power Included.	1,568.00	0.00%
CB-DAQSFP-0.5M	40G QSFP+ Direct Attach Copper Cable is ONLY for XGS3-24242(v2) hardware stacking port - 0.5 Meters	206.00	0.00%
CB-DAQSFP-2M	40G QSFP+ Direct Attach Copper Cable is ONLY for XGS3-24242(v2) hardware stacking port - 2 Meters	259.00	0.00%
CB-DASFP-0.5	10G SFP+ Direct Attach Copper Cable - 0.5 Meters	62.00	0.00%
CB-DASFP-2M	10G SFP+ Direct Attach Copper Cable - 2 Meters	78.00	0.00%
<b>Layer 3 Lan switch</b>			
XGS-6350-48X2Q4C	Layer 3 48-Port 10G SFP+ + 2-Port 40G QSFP+ + 4-Port 40G/100G QSFP28 Managed Switch (2 hot-swap power slots with one 100-240V AC power supply, dual-AC or AC+DC supported, 4 hot-swap fans)	6,217.00	0.00%
XGS-PWR350-AC	350-watt AC power supply for XGS-6350-48X2Q4C (100V-240VAC)	434.00	0.00%
XGS-PWR350-DC	350-watt 12VDC power supply for XGS-6350-48X2Q4C (36V--72VDC)	478.00	0.00%
CB-QSFP4X10G-1M	40G QSFP+ to 4 10G SFP+ Direct Attached Copper Cable - 1M	146.00	0.00%
CB-QSFP4X10G-3M	40G QSFP+ to 4 10G SFP+ Direct Attached Copper Cable - 3M	187.00	0.00%
CB-QSFP4X10G-5M	40G QSFP+ to 4 10G SFP+ Direct Attached Copper Cable - 5M	241.00	0.00%
XGS-6350-24X4C	Layer 3 24-Port 10G SFP+, + 4-Port 40G/100G QSFP28 + 1 x RJ45 Type Console + 1 x RJ45 10/100/1000Base-T (MGMT) + 1 x USB 2.0 , Managed Switch, OSPF, With optional Redundant (Internal) Power (XGS-GPL-PWR75-AC OR GPL-PWR75-DC)	2,504.00	0.00%
GPL-PWR75-AC	75-Watt AC power supply for XGS-6350-24X4C and GPL-8000 (100V-240VAC)	178.00	0.00%
GPL-PWR75-DC	75-Watt 12VDC power supply for XGS-6350-24X4C and GPL-8000 (-36V--72VDC)	183.00	0.00%
XGS-6350-12X8TR	Layer 3, 12-Port 10G SFP+8-Port 10/100/1000T +1 X RJ45 Type Consol + Stackable Managed Gigabit Switch With Dual 100	1,472.00	0.00%
XGS-6320-8X8TR	Layer 3 8-Port 10GBASE-X SFP+ + 8-Port 10GBASE-T Managed Ethernet Switch with 48V DC Redundant Power (Hardware Layer 3 RIPv1/v2, OSPFv2/v3 dynamic routing, supports ERPS Ring, CloudViewer app, MQTT, Cybersecurity features, supports 1000X, 2.5G SFP and 10G SFP+)	1,910.00	0.00%
XGS-6320-12X4TR	Layer 3 12-Port 10GBASE-X SFP+, + 4-Port 10GBASE-T Managed Ethernet Switch with 48V DC Redundant Power (Hardware Layer 3 RIPv1/v2, OSPFv2/v3 dynamic routing, supports ERPS Ring, CloudViewer app, MQTT, Cybersecurity features, supports 1000X, 2.5G SFP and 10G SFP+)	1,749.00	0.00%
XGS-6311-12X	Layer 3 12-Port 10GBASE-X SFP+ Managed Ethernet Switch (Hardware-based Layer 3 RIPv1/v2, OSPFv2 dynamic routing, supports ERPS Ring, supports 1000X SFP and 10G SFP+, 13" desktop size and rack-mountable)	612.00	0.00%
CB-DASFP-0.5M	10G SFP+ Direct Attach Copper Cable - 0.5 Meters	62.00	0.00%

CB-DASFP-2M	10G SFP+ Direct Attach Copper Cable - 2 Meters	78.00	0.00%
SGS-6341-16S8C4XR	Layer 3 16-Port 100/1000X SFP + 8-Port Gigabit TP/SFP 1000X SFP + 4-Port 10G SFP+ 1 RJ45 Type Consol+1 MGTP Port + IP Stacking or Hardware Stacking Managed Gigabit Switch With/Redundant Power 36-75V DC.	1,208.00	0.00%
SGS-6341-24T4X	Layer 3 24-Port 10/100/1000T + 4-Port 10G SFP+ 1 RJ45 Type Consol + 1 MGTP Port+ 1-Port USB 2.0 +Hardware Stacking / IP Stackable Managed Gigabit Switch	735.00	0.00%
SGS-6341-48T4X	Layer 3 48-Port 10/100/1000T + 4-Port 10G SFP+ 1 RJ45 Type Consol+1 MGTP Port + 1 USB 2.0+ Hardware Stacking or IP Stackable Managed Gigabit Switch	1,059.00	0.00%
SGS-6310-16S8C4XR	Layer 3 16-Port 100/1000X SFP + 8-Port Gigabit TP/SFP combo + 4-Port 10G SFP+ Stackable Managed Switch with Dual AC Redundant Power(Hardware stacking up to 8 units, hardware-based Layer 3 IPv4/IPV6 Routing and VRRP, supports ERPS Ring)	996.00	0.00%
SGS-6310-24T4X	Layer 3 24-Port 10/100/1000T + 4-Port 10G SFP+ Stackable Managed Switch (Hardware stacking up to 8 units, hardware-based Layer 3 IPv4/IPV6 Routing and VRRP, supports ERPS Ring), <b>Dual power AC</b>	500.00	0.00%
SGS-6310-48T6X	Layer 3 48-Port 10/100/1000T + 6-Port 10G SFP+ Stackable Managed Switch (Hardware stacking up to 8 units, hardware-based Layer 3 IPv4/IPV6 Routing and VRRP, supports ERPS Ring), <b>Dual power AC</b>	946.00	0.00%
GS-6311-16S8C4XR	Layer 3 16-Port 100/1000X SFP + 8-Port Gigabit TP/SFP combo + 4-Port 10G SFP+ Managed Ethernet Switch with 36-72V DC Redundant Power (hardware-based Layer 3 RIPV1/v2, OSPFv2 dynamic routing, supports ERPS Ring)	949.00	0.00%
GS-6311-24T4X	Layer 3 24-Port 10/100/1000T + 4-Port 10G SFP+ Managed Ethernet Switch (hardware-based Layer 3 RIPV1/v2, OSPFv2 dynamic routing, supports ERPS Ring)	384.00	0.00%
GS-6311-48T6X	Layer 3 48-Port 10/100/1000T + 6-Port 10G SFP+ Managed Ethernet Switch (hardware-based Layer 3 RIPV1/v2, OSPFv2 dynamic routing, supports ERPS Ring)	708.00	0.00%
MGS-6311-10T2X	Layer 3 8-Port <b>2.5GBASE-T</b> + 2-Port <b>10GBASE-T</b> + 2-Port 10GBASE-X SFP+ Managed Ethernet Switch(Hardware-based Layer 3 RIPV1/v2, OSPFv2 dynamic routing, supports ERPS Ring)	455.00	0.00%
<b>Layer 2+/4 Lan Switch (10/100/1000Mbps Intelligent Manageable Switch)</b>			
XGS-5240-24X2QR	L2+/L4 24-Port 10G SFP + 2-port 40G QSFP + 1-Port USB 2.0 + 1-Port RJ45 Type Consol + 1-Port RJ45 10/100/1000Base-T Management. Up to 4 Units in Hardware Stacking, Up to 24 Units in IP Stacking. With 36-72V DC Redundant Power, Hardware Layer3 IPv4/IPV6 Static Routing	2,018.00	0.00%
CB-DAQSFP-0.5M	40G QSFP+ Direct-attached Copper Cable (0.5M in length)	206.00	0.00%
CB-DAQSFP-2M	40G QSFP+ Direct-attached Copper Cable (2M in length)	259.00	0.00%
GS-6320-46S2C4XR	L3 46-Port 100/1000BASE-X SFP + 2-Port Gigabit TP/SFP combo + 4-Port 10G SFP+ Managed Switch W/ 48V Redundant Power (AC+DC Power Redundant, Cybersecurity features, Hardware Layer3 OSPFv2 and IPv4/IPV6 Static Routing)	1,457.00	0.00%
GS-5220-16S8CR	L2+ 24-Port 100/1000X SFP with 8 Shared TP Managed Switches, 1-Port RJ45 Type Consol, With Hardware Layer3 IPv4/IPV6 Static Routing, W/48V Redundant Power.	831.00	0.00%
GS-5220-16S8C	L2+ 24-Port 100/1000X SFP with 8 Shared TP Managed Switches, 1-Port RJ45 Type Consol,with Hardware Layer3 IPv4/IPV6 Static Routing	777.00	0.00%
WGSW-24040	IPv6, 24-Port Gigabit with 4-Port SFP COMBO + 1-Port RS232 Type Consol, Layer 2+/4 SNMP Managed Switch Security (Cybersecurity features, Hardware Layer 3 RIPV1/v2, OSPFv2/v3 dynamic routing, supports1G, 2.5G SFP and 10G SFP+)	463.00	0.00%
MGS-6320-8T2X	L3 4-Port 10/100/1000T + 4-Port <b>2.5G</b> + 2-Port 10G SFP+ Managed Switch (ERPS Ring, CloudViewer app, MQTT, Cybersecurity features, Hardware Layer 3 RIPV1/v2, OSPFv2/v3 dynamic routing, supports1G, 2.5G SFP and 10G SFP+)	573.00	0.00%
<b>Aggregation/Access Layer 3 Lan Switch LCD Touch Screen</b>			
GS-5220-24T4XV	L2+/L4 24-Port 10/100/1000T + 4-Port 10G SFP+ Managed Switch with Color LCD Touch Screen, Hardware Layer3 OSPF v2, IPv4/IPV6 Static Routing, ERPS Ring, Cybersecurity features	1,076.00	0.00%
GS-5220-24T4XVR	L2+/L4 24-Port 10/100/1000T + 4-Port 10G SFP+ Managed Switch with Color LCD Touch Screen, Hardware Layer3 OSPF v2, IPv4/IPV6 Static Routing, ERPS Ring, Cybersecurity features, W/ 48V Redundant Power.	1,149.00	0.00%
GS-5220-16T2XV	L2+/L4 16-Port 10/100/1000T + 2-Port 10G SFP+ Managed Switch with Color LCD Touch Screen, Hardware Layer3 IPv4/IPV6 Static Routing, ERPS Ring, Cybersecurity features	941.00	0.00%
GS-5220-16T2XVR	L2+/L4 16-Port 10/100/1000T + 2-Port 10G SFP+ Managed Switch with Color LCD Touch Screen, Hardware Layer3 IPv4/IPV6 Static Routing, ERPS Ring, Cybersecurity features, With/ 48V Redundant Power.	989.00	0.00%
<b>*Metro Layer 2+/4 Lan Switch (10/100/1000Mbps &amp; 10G Intelligent Manageable Switch)</b>			
MGSW-28240F	L3 14*100/1G SFP with 4 shared 10/100/1000T + 10*1G/2.5G SFP + 4*10G SFP+ Managed Metro Ethernet Switch (AC+DC Power Redundant, 2xDI, 2xDO, Cybersecurity features, Hardware Layer3 OSPFv2 and IPv4/IPV6 Static Routing, supports CloudViewer app and MQTT).EN61000-6-2/-4 Heavy Industrial EMC certified	1,019.00	0.00%
MGSW-24160F	16-Port 100/1000Base-X SFP + 8-Port 10/100/1000Base-T L2/L4 Managed Metro Ethernet Switch (AC+2 DC, DIDO)	814.00	0.00%
MGSD-10080F	13* 8-Port 100/1000Base-X SFP + 2-Port 10/100/1000Base-T L2/L4 Managed Metro Ethernet Switch (AC+2 DC, DIDO), ERPS Ring Supported	531.00	0.00%
MGS-6320-2T6S2X	L3 2-Port 100/1000T + 2-Port 100/1G SFP + 4-Port 100/1G/2.5G SFP + 2-Port 10G SFP+ Managed Metro Ethernet Switch (AC+DC Power Redundant, 2xDI, 2xDO, Hardware Layer 3 RIPV1/v2, OSPFv2/v3 dynamic routing, supports ERPS Ring, CloudViewer app, MQTT, Cybersecurity features)	659.00	0.00%
<b>SWITCH ENTRY LEVEL : MANAGED, WEB SMART , UNMANAGED</b>			
<b>Layer 2/4 Lan Switch entry level (10/100/1000Mbps Web/SNMP Manageable Switch)</b>			
GSD-1002M	IPv6 Managed 8-Port 10/100/1000Mbps + 2-Port 100/1000X SFP Gigabit Desktop Ethernet Switch (PoE PD, External PWR)	171.00	0.00%
GS-4210-8T2S	IPv4/IPV6, 8-Port 10/100/1000T + 2-Port 100/1000X SFP L2/L4 SNMP Manageable Gigabit Ethernet Switch(supports ERPS Ring)	185.00	0.00%
GS-4210-16T2S	IPv6, 16-Port 10/100/1000Base-T + 2-Port 100/1000MBPS SFP Web-Smart/SNMP Gigabit Ethernet Switch, Fan Less	244.00	0.00%
GS-4210-24T2S	IPv6, 24-Port 10/100/1000Base-T + 2-Port 100/1000MBPS SFP Web-Smart/SNMP Gigabit Ethernet Switch, Fan Less	295.00	0.00%
GS-4210-24T4S	IPv4/IPV6, 24-Port 10/100/1000T + 4-Port 100/1000X SFP L2/L4 SNMP Manageable Gigabit Ethernet Switch(supports MQTT and Cybersecurity feature)	314.00	0.00%
GS-4210-24T4SR	IPv4/IPV6, 24-Port 10/100/1000T + 4-Port 100/1000X SFP L2/L4 SNMP Manageable Gigabit Ethernet Switch With/36-72V Redundant Power (supports MQTT and Cybersecurity feature)	333.00	0.00%
GS-4210-48T4S	IPv4/IPV6,48-Port 10/100/1000Base-T+4-Port 100/1000MBPS SFP L2/L4 /SNMP Manageable Gigabit Ethernet Switch, Fan Less	719.00	0.00%
<b>Unmanaged Entry Level Lan Switch (19" rack mount)</b>			
GSW-1601	16-Port 10/100/1000Mbps Gigabit Ethernet Switch	145.00	0.00%
GSW-2401	24-Port 10/100/1000Mbps Gigabit Ethernet Switch	169.00	0.00%
MGS-910X	8-Port 10/100/1000/2500T + 1-Port 10G SFP+ Multigigabit Ethernet Switch (Fanless design, Standard/VLAN mode, desktop size with rackmount kit)	229.00	0.00%
FNSW-1601	16-Port 10/100Base-TX Fast Ethernet Switch	87.00	0.00%
FNSW-2401	24-Port 10/100Base-TX Fast Ethernet Switch	100.00	0.00%
<b>SOHO / Desktop Ethernet Switch - External Power</b>			
FSD-503	5-Port 10/100Mbps Fast Ethernet Switch, Metal	31.00	0.00%
FSD-803	8-Port 10/100Mbps Fast Ethernet Switch, Metal	35.00	0.00%
GSD-503	5-Port 10/100/1000Mbps Gigabit Ethernet Switch (External Power) - Metal Case	46.00	0.00%
GSD-603F	5-Port 10/100/1000T +1-Port 1000X SFP Gigabit Ethernet Switch , Metal (External Power)	59.00	0.00%
GSD-803	8-Port 10/100/1000Mbps Gigabit Ethernet Switch (External Power) - Metal Case	55.00	0.00%
GSD-504	5-Port 10/100/1000Mbps Gigabit Ethernet Switch (External Power) - Plastic Case	40.00	0.00%
GSD-805	8-Port 1000Base-T Desktop Gigabit Ethernet Switch - Internal Power	78.00	0.00%

<b>Rack Mount Kits</b>			
<b>Rack Mount Kits</b>			
RKE-10A	Rack Mount Kits for 10-inch cabinet (10" Desktop Switch)	8.00	0.00%
RKE-10B	Rack Mount Kits for 19-inch cabinet (10" Desktop Switch)	14.00	0.00%
RKE-10A-C	Rack Mount Kits in darkblue for 10-inch cabinet (10" Desktop Switch)	8.00	0.00%
RKE-10B-C	Rack Mount Kits in dark blue for 19-inch cabinet (10" Desktop Switch)	14.00	0.00%
RKE-DIN-C	DIN - Rail Mounting Kit in silver	8.00	0.00%
<b>LAN SWITCH POE (Power over Ethernet)</b>			
<b>Aggregation/Access Layer 3 Lan Switch PoE 802.3bt</b>			
GS-6311-48P6X	Layer 3 48-Port 10/100/1000T 802.3at PoE + 6-Port 10G SFP+ Managed Ethernet Switch (600W PoE budget, hardware-based Layer 3 RIPv1/v2, OSPFv2 dynamic routing, supports ERPS Ring, PoE PD alive check and schedule management)	1,151.00	0.00%
GS-6322-24P4X	L3 24-Port 10/100/1000T 95W 802.3bt PoE + <b>2-Port 10GBASE-T</b> + 2-Port 10G SFP+ Managed Switch with dual modular power supply slots (24-port 95W PoE+, max. 2,280-watt PoE budget, RPS(1+1)/EPS(2+0) mode, ERPS Ring, ONVIF, Cybersecurity features, Hardware Layer3 OSPFv2 and IPv4/IPv6 Static Routing, supports MQTT). <b>Power supply NOT included</b>	2,031.00	0.00%
PWR-CRPS920	920W CRPS AC Power Supply, C16 socket, 54V DC output, 720-watt PoE budget@100-240VAC for GS-6322-24P4X	413.00	0.00%
PWR-CRPS1200	1200W CRPS AC Power Supply, C16 socket, 54V DC output, 1000-watt PoE budget@100-240VAC for GS-6322-24P4X	482.00	0.00%
PWR-CRPS2000	2000W CRPS AC Power Supply, C16 socket, 54V DC output, 1600-watt PoE budget@220-240VAC; 1000-watt PoE budget@110VAC for GS-6322-24P4X	733.00	0.00%
GS-6311-24HP4X	Layer 3 8-Port 10/100/1000T <b>90W 802.3bt</b> PoE + 16-Port 10/100/1000T <b>802.3at PoE</b> + 4-Port 10G SFP+ Managed Ethernet Switch (475 Watts PoE budget, hardware-based Layer 3 RIPv1/v2, OSPFv2 dynamic routing, supports ERPS Ring, PoE PD alive check and schedule management.)	929.00	0.00%
GS-5220-8UP2T2X	L3 8-Port 10/100/1000T 95W, PoE 802.3bt + 2-Port 10/100/1000T + 2-Port 10G SFP+ Managed Switch (240W PoE Budget, ERPS Ring, ONVIF, Cybersecurity features, Hardware Layer3 OSPFv2 and IPv4/IPv6 Static Routing)	768.00	0.00%
XGS-6320-8UP4X	Layer 3 8-Port 10GBASE-T 95W 802.3bt PoE + 4-Port 10GBASE-X SFP+ Managed Ethernet Switch (420W PoE Budget, 8-port 95W PoE+, 802.3bt/Legacy/Force modes, PoE PD alive check and schedule management, Hardware Layer 3 RIPv1/v2, OSPFv2/v3 dynamic routing, supports ERPS Ring, ONVIF, CloudViewerPro app, MQTT, Cybersecurity features, supports 1000X, 2.5G SFP and 10G SFP+)	2,095.00	0.00%
MGS-6320-8HP2X	L3 4-Port 10/100/1000T 802.3at PoE + 4-Port 2.5G 802.2bt PoE + 2-Port 10G SFP+ Managed Switch (240W PoE Budget, 200m Extend mode, ERPS Ring, ONVIF, CloudViewer app, MQTT, Cybersecurity features, Hardware Layer 3 RIPv1/v2, OSPFv2/v3 dynamic routing, supports1G, 2.5G SFP and 10G SFP+)	679.00	0.00%
MGS-6311-8P2X	Layer 3, 8-Port <b>2.5GBASE-T</b> 802.3at PoE + 2-Port 10GBASE-X SFP+ Managed Ethernet Switch(120W PoE budget, hardware-based Layer 3 RIPv1/v2, OSPFv2 dynamic routing, supports ERPS Ring, PoE PD alive check and schedule management)	539.00	0.00%
<b>Layer 3 Lan Switch poE (IP Stacking)</b>			
SGS-6310-48P6XR	Layer 3 48-Port 10/100/1000T 802.3at PoE + 6-Port 10G SFP+ Stackable Managed Switch (AC 370W, AC+DC 740 PoE budget, Hardware stacking up to 8 units, hardware-based Layer 3 IPv4/IPv6 Routing and VRRP, supports ERPS Ring)	1,444.00	0.00%
SGS-6341-24P4X	Layer 3, 24-Port 10/100/1000T 802.3at POE With 4 Port Shared 100/1000X SFP+ 4-Port 10G SFP + USB 2.0 Port+RJ45 Type consol+ 1-Port Ethernet MGMT + Stackable Managed Gigabit Switch, Up to 24 unit in IP Stacking, Up to 4 Unit in Hardware Stacking, (370W), Multicast Ruting PIM-DM/SM, DVM RP	1,131.00	0.00%
SGS-6310-24P4X	Layer 3 24-Port 10/100/1000T 802.3at PoE + 4-Port 10G SFP+ Stackable Managed Switch (370W PoE budget, Hardware stacking up to 8 units, hardware-based Layer 3 IPv4/IPv6 Routing and VRRP, supports ERPS Ring)	891.00	0.00%
CB-DASFP-0.5	10G SFP+ Direct Attach Copper Cable - 0.5 Meters For SGS-5220-24P2X	62.00	0.00%
CB-DASFP-2M	10G SFP+ Direct Attach Copper Cable - 2 Meters For SGS-5220-24P2X	78.00	0.00%
<b>Layer 3 LCD Touch Screen Lan Switch PoE</b>			
GS-5220-24UPL4XVR	L3 24-Port 10/100/1000T 802.3bt PoE + 4-Port 10G SFP+ Managed Switch with Color LCD Touch Screen With/48V Redundant Power (600W PoE Budget, 8-port 95W PoE+, 16-port 75W PoE+, ERPS Ring, ONVIF, Cybersecurity features, Hardware Layer3 OSPFv2 and IPv4/IPv6 Static Routing, supports CloudViewer app and MQTT, supports 1G, 2.5G SFP and 10G SFP+)	1,571.00	0.00%
GS-6320-24UP2T2XV	L3 24-Port 10/100/1000T 802.3bt PoE + 2-Port 10GBASE-T + 2-Port 10G SFP+ Managed Switch with Color LCD Touch Screen With/48V Redundant Power (600W PoE Budget, 8-port 95W PoE+, 16-port 75W PoE+, ERPS Ring, ONVIF, Cybersecurity features, Hardware Layer3 OSPFv2 and IPv4/IPv6 Static Routing, supports CloudViewer app and MQTT, SFP+ slots support 1G, 2.5G SFP and 10G SFP+)	1,863.00	0.00%
GS-6311-24P4XV	Layer 3 24-Port 10/100/1000T 802.3at PoE + 4-Port 10G SFP+ Managed Ethernet Switch with Smart LCD Screen(370 Watts PoE budget, hardware-based Layer 3 RIPv1/v2, OSPFv2 dynamic routing, supports ERPS Ring, PoE PD alive check and schedule management; supports Standard/VLAN/Extend mode, PoE Budget, bandwidth control setup over LCD)	875.00	0.00%
<b>Aggregation/Access Layer 3 Lan Switch PoE 802.3at</b>			
GS-5220-48P4X	L3 48-Port 10/100/1000T 802.3at PoE + 4-Port 10G SFP+ Managed Switch(400W PoE Budget, ONVIF, ERPS Ring, Cybersecurity features Hardware Layer 3, OSPFv2 and IPv4/IPv6 Static Routing)	1,602.00	0.00%
WGSW-2404HP4	L2+/L4 24-Port 10/100/1000T 802.3at PoE with 4 shared 100/1000X SFP Managed Security Switch, with Layer3 IPv4/IPv6 Static Routing (440W PoE Budget, 250m Extend mode, ONVIF, Cybersecurity features)	807.00	0.00%
WGSW-20160HP	L2+/L4 16-Port 10/100/1000T 802.3at PoE + 4-Port Gigabit TP/SFP Combo Managed Security Switch, with Layer3 IPv4/IPv6 Static Routing (220W PoE Budget, 250m Extend mode, ONVIF, supports MQTT and Cybersecurity features)	676.00	0.00%
GS-6320-8P2X	L3 8-Port 10/100/1000T 802.3at PoE + 2-Port 10G SFP+ Managed Switch (120W PoE Budget, 200m Extend mode, ERPS Ring, ONVIF, CloudViewer app, MQTT, Cybersecurity features, Hardware Layer 3 RIPv1/v2, OSPFv2/v3 dynamic routing, supports1G, 2.5G SFP and 10G SFP+)	585.00	0.00%
MGS-5220-8P2X	L2+/L4 8-Port 2.5G/1G/100T 802.3at PoE + 2-Port 10G SFP+ Managed Multigigabit Switch,ERPS Ring, with Hardware Layer3 IPv4/IPv6 Static Routing (240W PoE Budget)	861.00	0.00%
GS-5220-8P2T2S	L2+/L4 IPv4/IPv6 Managed 8-Port 802.3at High Power PoE Gigabit Ethernet Switch + 2-Port 100/1000SFP + 2-Port 10/1	505.00	0.00%
<b>Managed Lan Switch PoE 802.3at (High Power 15W/30W/60W)</b>			
GS-4210-24UP4C	IPv6/IPv4, 24-Port Managed <b>802.3bt PoE++</b> Gigabit Ethernet Switch + 4-Port Gigabit Combo TP/SFP (600W PoE budget, 8-port 95W PoE+, 8-port 75W PoE+, 250m Extend mode, SNMPv3, 802.1Q VLAN, IGMP Snooping, supports ERPS Ring, CloudViewer app, MQTT and cybersecurity features)	1,213.00	0.00%
GS-4210-24HP2C	IPv6/IPv4, 4-Port 10/100/1000T <b>802.3bt 95W</b> PoE + 20-Port 10/100/1000T 802.3at PoE + 2-Port Gigabit TP/SFP Combo Managed Switch(515W PoE Budget, 250m Extend mode, supports ERPS Ring, CloudViewer app, MQTT and cybersecurity features, supports configurable fanless mode)	865.00	0.00%
GS-4210-16UP4C	IPv6/IPv4, 16-Port Managed <b>802.3bt PoE++</b> Gigabit Ethernet Switch + 4-Port Gigabit Combo TP/SFP (400W PoE budget, 8-port 95W PoE+, 8-port 75W PoE+, 250m Extend mode, SNMPv3, 802.1Q VLAN, IGMP Snooping, supports ERPS Ring, CloudViewer app, MQTT and cybersecurity features)	936.00	0.00%
GS-4210-48P4S	IPv6/IPv4, 48-Port Managed 802.3at POE+ Gigabit Ethernet Switch + 4-Port 100/1000X SFP (400W PoE budget, 250m Extend mode, supports ERPS Ring, CloudViewer app, MQTT and cybersecurity features)	1,135.00	0.00%

GS-4210-24P4C	IPV6/IPV4, 24-Port Managed 802.3at PoE+ Gigabit Ethernet Switch + 4-Port Gigabit Combo TP/SFP (220W PoE Budget, 250m Extend mode, supports ERPS Ring, CloudViewer app, MQTT and cybersecurity features)	628.00	0.00%
GS-4210-24PL4C	IPV6/IPV4, 24-Port Managed 802.3at PoE+ Gigabit Ethernet Switch + 4-Port Gigabit Combo TP/SFP (440W PoE Budget, 250m Extend mode, supports ERPS Ring, CloudViewer app, MQTT and cybersecurity features)	721.00	0.00%
GS-4210-24P2S	IPV4, 24-Port Managed 802.3at POE+ Gigabit Ethernet Switch + 2-Port 100/1000X SFP (300W PoE Budget, 250m Extend mode, supports ERPS Ring, MQTT and cybersecurity features)	570.00	0.00%
GS-4210-16P4C	IPV6/IPV4, 16-Port Managed 802.3at POE+ Gigabit Ethernet Switch + 4-Port Gigabit Combo TP/SFP (220W PoE Budget, 250m Extend mode, supports ERPS Ring and cybersecurity features)	531.00	0.00%
GS-4210-16P2S	IPV6/IPV4, 16-Port Managed 802.3at PoE+ Gigabit Ethernet Switch + 2-Port 100/1000X SFP (220W PoE budget, supports ERPS Ring, CloudViewer app, MQTT and cybersecurity features)	491.00	0.00%
GS-4210-8UP2S	IPV6/IPV4, 8-Port 10/100/1000T 802.3bt 95W PoE + 2-Port 100/1000X SFP Managed Switch(180W PoE Budget, 250m Extend mode, supports ERPS Ring, CloudViewerPro app, MQTT and cybersecurity features)	338.00	0.00%
GS-4210-8P2C	IPV4/IPV6, 8-Port Managed 802.3at POE+ Gigabit Ethernet Switch + 2-Port 10/100/1000Mbps RJ45 + 2-Port 100/1000X SFP (120W PoE Budget, 250m Extend mode, supports CloudViewer app, MQTT and cybersecurity features)	285.00	0.00%
GS-4210-8P2S	IPV4/IPV6, 8-Port Managed 802.3at POE+ Gigabit Ethernet Switch + 2-Port 100/1000X SFP (120W PoE Budget, 250m Extend mode, supports CloudViewer app, MQTT and cybersecurity features, fanless design)	283.00	0.00%
GS-4210-8HP2S	IPV6/IPV4, 2-Port 10/100/1000T 802.3bt 95W PoE + 6-Port 10/100/1000T 802.3at PoE + 2-Port 100/1000X SFP Managed Switch(240W PoE Budget, 250m Extend mode, supports ERPS Ring, CloudViewer app, MQTT and cybersecurity features, supports configurable fanless mode )	410.00	0.00%
FGSD-1008HPS	8-Port 10/100TX 802.3at PoE + 2-Port Gigabit TP/SFP Combo Managed Ethernet Switch (120W, 250m Extend mode, IPv4/IPV6 Management, SNMPv3, 802.1s MSTP, 802.1x Authentication, ACL, PD Alive Check, Cybersecurity features)	241.00	0.00%
FGSW-1816HPS	16-Port 10/100TX 802.3at PoE + 2-Port Gigabit TP/SFP Combo Managed Ethernet Switch (240W, 250m Extend mode, IPv4/IPV6 Management, SNMPv3, 802.1s MSTP, 802.1x Authentication, ACL, PD Alive Check, Cybersecurity features)	365.00	0.00%
FGSW-2624HPS	24-Port 10/100TX 802.3at PoE + 2-Port Gigabit TP/SFP Combo Managed Ethernet Switch (240W, 250m Extend mode, IPv4/IPV6 Management, SNMPv3, 802.1s MSTP, 802.1x Authentication, ACL, PD Alive Check, Cybersecurity features)	419.00	0.00%
FGSW-2624HPS4	24-Port 10/100TX 802.3at PoE + 2-Port Gigabit TP/SFP Combo Managed Ethernet Switch (370W, 250m Extend mode, IPv4/IPV6 Management, SNMPv3, 802.1s MSTP, 802.1x Authentication, ACL, PD Alive Check, Cybersecurity features)	464.00	0.00%
<b>Unmanaged Entry level Lan Switch PoE 802.3at (standard/vlan/extend mode)</b>			
FGSD-1022VHP	8-Port 10/100TX 802.3at PoE + 2-Port Gigabit TP/SFP combo Desktop Switch with smart color LCD (120W PoE Budget, Standard/VLAN/Extend mode, PoE budget, bandwidth control, PD alive check setup over LCD)	244.00	0.00%
FGSW-1822VHP	16-Port 10/100TX 802.3at PoE + 2-Port 10/100/1000T + 2-Port 1000X SFP Ethernet Switch with smart color LCD (300W PoE Budget, Standard/VLAN/Extend mode, PoE Budget, bandwidth control, PD alive check setup over LCD )	451.00	0.00%
FGSW-2622VHP	24-Port 10/100TX 802.3at PoE + 2-Port 10/100/1000T + 2-Port 1000X SFP Ethernet Switch with smart color LCD (300W PoE Budget, Standard/VLAN/Extend mode, PoE Budget, bandwidth control, PD alive check setup over LCD )	515.00	0.00%
GSD-1222VHP	8-Port 10/100/1000T 802.3at PoE + 2-Port 10/100/1000T + 2-Port 1000SX SFP Gigabit Switch with smart color LCD (120W PoE Budget, Standard/VLAN/Extend mode, PoE Budget, bandwidth control, PD alive check setup over LCD )	264.00	0.00%
GSW-1820VHP	16-Port 10/100/1000T 802.3at PoE + 2-Port 1000X SFP Gigabit Switch with smart color LCD (300W PoE Budget, Standard/VLAN/Extend mode, PoE Budget, bandwidth control, PD alive check setup over LCD)	472.00	0.00%
GSW-2620VHP	24-Port 10/100/1000T 802.3at PoE + 2-Port 1000SX SFP Gigabit Switch with smart color LCD (300W PoE Budget, Standard/VLAN/Extend mode, PoE Budget, bandwidth control, PD alive check setup over LCD )	542.00	0.00%
GSD-2022P	16-Port 10/100/1000T 802.3at PoE + 2-Port 10/100/1000T + 2-Port 1000X SFP Unmanaged Gigabit Ethernet Switch (185W PoE Budget, Standard/VLAN/Extend mode, supports PD alive check, desktop size with rackmount kit)	317.00	0.00%
GSD-1022UP	2-Port 10/100/1000T 802.3bt PoE + 4-Port 10/100/1000T 802.3at PoE + 2-Port 10/100/1000T + 2-Port 1000X SFP Desktop Switch (180W PoE Budget, 95 Watt 802.3bt Type 4/UPOE/Legacy mode support via DIP switch, 10-inch and rack-mountable)	210.00	0.00%
GSW-2824P	24-Port 10/100/1000T 802.3at PoE + 2-Port 10/100/1000T + 2-Port Gigabit TP/SFP Combo Ethernet Switch (250W PoE Budget, Standard/VLAN/Extend mode, supports PD alive check)	454.00	0.00%
GSW-2620HP	19" 24-Port 10/100/1000T 802.3at POE + 2-Port 1000X SFP Unmanaged Gigabit Ethernet Switch(220W)	417.00	0.00%
GSW-1820HP	19" 16-Port 10/100/1000 unmanaged Gigabit Ethernet 802.3at POE+ 2-Port 1000x SFP+ Switch (240W PoE Budget Standard/ VLAN/ Ext3nd mode)	349.00	0.00%
GSD-1008HP	8-Port 10/100/1000T 802.3at PoE + 2-Port 10/100/1000T Desktop Switch (120W PoE Budget, Standard/VLAN/Extend mode, 10-inch and rack-mountable)	169.00	0.00%
GSD-908HP	8-Port 10/100/1000 Gigabit 802.3at POE Ethernet Switch plus 1-Port Gigabit Ethernet Switch (100W POE Budget with External Power Supply)	169.00	0.00%
GSD-604HP	4-Port 10/100/1000T 802.3at POE + 2-Port 10/100/1000T Desktop Switch (55W POE Budget, External Power Supply)	112.00	0.00%
GSD-504UP	2-Port 10/100/1000T 802.3bt PoE + 2-Port 10/100/1000T 802.3at PoE + 1-Port Gigabit Desktop Switch (120W PoE Budget, BT/Legacy mode support)	208.00	0.00%
FSD-1008HP	8-Port 10/100TX 802.3at PoE + 2-Port 10/100TX Desktop Switch (120W PoE Budget, Standard/VLAN/Extend mode, fanless, 10-inch and rack-mountable)	135.00	0.00%
FGSD-1011HP	8-Port 10/100TX 802.3at PoE + 1-Port 10/100/1000T + 1-Port 100/1000X SFP Desktop Switch (120W PoE Budget, Standard/VLAN/Extend mode, 10-inch and rack-mountable)	158.00	0.00%
FGSD-1821P	16-Port 10/100TX 802.3at PoE + 2-Port 10/100/1000T + 1-Port shared 1000X SFP Unmanaged Gigabit Ethernet Switch (185W PoE Budget, Standard/VLAN/Extend mode, supports PD alive check, desktop size with rackmount kit)	220.00	0.00%
FGSD-2621P	24-Port 10/100TX 802.3at PoE + 2-Port 10/100/1000T + 1-Port shared 1000X SFP Unmanaged Gigabit Ethernet Switch (185W PoE Budget, Standard/VLAN/Extend mode, supports PD alive check, desktop size with rackmount kit)	266.00	0.00%
FGSW-2511P	24-Port 10/100TX 802.3at PoE + 1-Port Gigabit TP/SFP combo Ethernet Switch (190W PoE Budget, Standard/VLAN/QoS/Extend mode)	287.00	0.00%
FSD-604HP	4-Port 10/100TX 802.3at POE + 2-Port 10/100TX Desktop Switch (60W POE Budget, 250m Extend mode, fanless, internal Power Supply)	75.00	0.00%
GSD-804P	10" 8-Port 10/100/1000 Gigabit Ethernet Switch with 4-Port 802.3at PoE+ Injector (60W PoE Budget, 200m Extend mode and fanless)	139.00	0.00%
MGS-910XP	8-Port 10/100/1000/2500T 802.3at PoE + 1-Port 10G SFP+ Multigigabit Ethernet Switch (120 Watts PoE Budget, Standard/VLAN mode, desktop size with rackmount kit)	259.00	0.00%
<b>POE DEVICES PoE Injector, injector Hubs, Splitter, Extender, Long reach poE)</b>			
<b>(PoE Injector, injector Hubs, Splitter, Extender, Long reach poE)</b>			
<b>Managed Ultra PoE injector Hubs, Ultra PoE injector, PoE Splitter</b>			
UPOE-400	4-Port Multi-Gigabit 802.3bt PoE++ Injector Hub (160 Watts PoE budget, PoE Usage LED, 10M/100M/1G/2.5G/5G speed, BT/PoH/Force DIP switch), 54V 180W AC power adapter included	334.00	0.00%
UPOE-800G	8-Port Gigabit 60W Ultra PoE Managed Injector Hub – 400W	879.00	0.00%
UPOE-1600G	16-Port Gigabit 802.3bt PoE++ Managed Injector Hub (600W PoE Budget, 8-port 95W PoE++, 8-port 75W PoE++)	1,116.00	0.00%
UPOE-2400G	24-Port Gigabit 60W Ultra PoE Managed Injector Hub – 800W	1,528.00	0.00%
POE-173	Single Port 10/100/1000Mbps Ultra POE Injector (60 Watts) - w/internal power, PoE Output 50V DC	79.00	0.00%
POE-172	Single Port 10/100/1000Mbps Ultra POE Injector (60 Watts)- W/internal power,802.3at PoE compatible,PoE Output 56VDC	82.00	0.00%
POE-171	Single Port 10/100/1000Mbps Ultra POE Injector (60 Watts) -w/external power adapter	102.00	0.00%
POE-171A-60	Single-Port 10/100/1000Mbps 802.3bt Ultra PoE Injector (60 Watts, Legacy mode support, PoE Usage LED) -W/External Power	148.00	0.00%

POE-171A-95	Single-Port 10/100/1000Mbps 802.3bt Ultra PoE Injector (95 Watts, PoH, Legacy mode support, PoE Usage LED) -W/External	204.00	0.00%
POE-175-95	Single-Port 10/100/1000Mbps 802.3bt PoE Injector (95 Watts, PoH,Poe Usage LED) - W/Internal Power	198.00	0.00%
POE-176-95	Single-Port 10Gbps 802.3bt PoE++ Injector (95 Watts, 802.3bt Type-4, PoH, force mode support, PoE Usage LED, 10/100/1G/2.5G/5G/10Gbps Data rate) -w/external 54V 130W AC power adapter included	213.00	0.00%
POE-171S	Single Port 10/100/1000Mbps Ultra POE Splitter (12V/19V/24V)	109.00	0.00%
POE-172S	Single Port 10/100/1000Mbps 95W Ultra POE Splitter (12V/19V/24V)	109.00	0.00%
POE-173S	Single-Port 10/100/1000T 802.3bt PoE++ Splitter (12V/19/24V, 802.3bt type 4 PD, PoH compatible)	154.00	0.00%
POE-E304	1-Port 60W Ultra PoE to 4-Port 802.3af/at Gigabit PoE Extender	117.00	0.00%
<b>Unmanaged 802.3af/at PoE Injector Hubs</b>			
HPOE-2400G	24-Port 802.3at 30w Gigabit High Power over Ethernet Injector Hub (full power - 720W)	894.00	0.00%
HPOE-1200G	12-Port 802.3at 30w Gigabit High Power over Ethernet Injector Hub (full power - 350W)	642.00	0.00%
HPOE-460	4-Port 802.3at 30W High Power over Ethernet Injector Hub - 120W External Power Adapter	169.00	0.00%
POE-2400G	24-Port 802.3af Gigabit Power over Ethernet Injector Hub (full power - 400W)	745.00	0.00%
POE-1200G	12-Port 802.3af Gigabit Power over Ethernet Injector Hub (full power - 200W)	552.00	0.00%
<b>802.3at Injector, Splitter, Extender</b>			
POE-161	IEEE802.3at High Power PoE Injector - 30W	57.00	0.00%
POE-163	IEEE802.3at High Power PoE+ Gigabit Ethernet Injector - 30W (All-in-one Pack), PoE Output DC 50.54V, 0.6A	51.00	0.00%
POE-165	Single-Port Multigigabit 802.3at PoE+ Injector - 30W (All-in-one Pack, 10M/100M/1G/2.5G/5G speed)	51.00	0.00%
POE-161S	Gigabit IEEE802.3at High Power PoE Splitter - 5V/12V	60.00	0.00%
POE-162S	IEEE802.3at High Power PoE Splitter - 12V/24V	60.00	0.00%
POE-E201	IEEE802.3at PoE+ Repeater (Extender) - High Power POE	95.00	0.00%
POE-E202	1-Port 802.3at PoE+ to 2-Port 802.3af/at Gigabit PoE Extender	98.00	0.00%
POE-E301	1-Port 802.3bt to 1-Port 802.3bt Gigabit PoE++ Extender(95 Watts 802.3bt PoE++ Input, BT/UPOE mode output support via DIP switch, compact size and wall-mountable design)	126.00	0.00%
POE-TESTER+	IEEE802.3bt/3at/af POE Tester	32.00	0.00%
<b>802.3at Injector, Splitter, Extender</b>			
POE-152	IEEE802.3af PoE Injector - End-Span for Gigabit Ethernet	43.00	0.00%
<b>Long Reach POE Solutions</b>			
<b>* POE Transmission up to 1KM Over Coaxial Cable, up to 500 Meters Over UTP Cable</b>			
LRP-101C-KIT	1-Port Long Reach POE over Coax Extender Kit (LRP-101CH+LRP-101CE), -20 to 70 Degree C, up to 1KM	362.00	0.00%
LRP-101CH	1-Port Long Reach POE over Coax Injector, -20 to 70 Degree C, up to 1KM	202.00	0.00%
LRP-101U-KIT	1-Port Long Reach POE over UTP Extender Kit (LRP-101UH+LRP-101UE), -20 to 70 Degree C, up to 500 meter	358.00	0.00%
LRP-101CE	1-Port 10/100TX POE PSE + 1-Port Coax Long Reach POE Extender, -20 to 70 Degree C	209.00	0.00%
LRP-101UH	1-Port Long Reach POE over UTP Injector, -20 to 70 Degree C, up to 500 meter	202.00	0.00%
PWR-65-56	65W AC to DC Power Adapter (100-240VAC to 56VDC) - for LRP-101 series	35.00	0.00%
LRP-104CET	IP30, Industrial 4-Port 10/100TX POE PSE + 1-Port Coax/UTP Long Reach POE Extender, -20 to 70 degrees C	715.00	0.00%
LRP-822CS	IPV4/IPV6, 8-Port Coax + 2-Port 10/100/1000T + 2-Port 100/1000X SFP Long Reach POE over Coaxial Managed Switch (240W)	1,420.00	0.00%
LRP-1622CS	IPV4/IPV6, 16-Port Coax + 2-Port 10/100/1000T + 2-Port 100/1000X SFP Long Reach POE over Coaxial Managed Switch (440W)	2,227.00	0.00%
LRP-422CST	IP30, Industrial IPV4/IPV6, 4-Port Coax + 2-Port 10/100/1000T + 2-Port 100/1000X SFP Long Reach POE over Coaxial Managed Switch (-40 to 75 C)	913.00	0.00%
<b>Long Reach Ethernet Solutions</b>			
LRE-101	1-Port 10/100TX Ethernet over UTP Long Reach Ethernet Extender (Up to 800 meters UTP cable/1200 meters phone wire, Master/Slave mode DIP switch)	151.00	0.00%
LRE-101C	1-Port 10/100TX Ethernet over Coaxial Long Reach Ethernet Extender(Up to 2000 meters coaxial cable, Master/Slave mode DIP switch)	171.00	0.00%
LRE-104	4-Port 10/100TX + 1-Port UTP/BNC Long Reach Ethernet Extender (Up to 800 meters UTP cable/1200 meters phone wire/2000 meters coaxial cable, Master/Slave mode DIP switch)	196.00	0.00%
<b>Industrial Ethernet Switch</b>			
<b>Industrial Layer 3</b>			
IGS-6325-20S4C4X	IP30 19" Rack Mountable Industrial L3 Managed Core Ethernet Switch, 14*100/1G SFP with 4 shared 10/100/1000T + 10*1G/2.5G SFP + 4*10G SFP+ (-40 to 75 C, AC + 2 DC, DIDO), ERPS Ring, 1588, Modbus TCP, Cybersecurity features, Hardware Layer3 OSPFv2, fanless design, supports MQTT, supports 100FX, 1000X, 2.5G SFP and 10G SFP+), EN61000-6-2/-4 Heavy Industrial EMC certified	1,389.00	0.00%
IGS-6325-20T4C4X	IP30 19" Rack Mountable Industrial L3 Managed Core Ethernet Switch, 24*1000T with 4 shared 100/1000X SFP + 4*10G SFP+ (-40 to 75 C, AC + 2 DC, DIDO), ERPS Ring, 1588, Modbus TCP, Cybersecurity features, Hardware Layer3 OSPFv2 and IPV4/IPV6 Static Routing, supports CloudViewer app and MQTT, supports 100FX, 1000X, 2.5G SFP and 10G SFP+), EN61000-6-2 Heavy Industrial EMC certified	1,294.00	0.00%
IGS-6325-16T4X	IP30 Industrial L3 16-Port 10/100/1000T + 4-Port 10G SFP+ Managed Ethernet Switch (-40 to 75 C, dual redundant power input on 9-48VDC terminal block, DIDO, ERPS Ring, 1588 PTP TC, Modbus TCP, Cybersecurity features, Layer 3 RIPv1/v2, OSPFv2/v3 dynamic routing, supports CloudViewerPro app and MQTT, supports 1000X, 2.5G SFP and 10G SFP+)		0.00%
IGS-6325-16T4S	IP30 Industrial L3 16-Port 10/100/1000T + 4-port 1G/2.5G SFP Full Managed Switch (-40 to 75 C, dual redundant power input on 9-48VDC terminal block, 2*DI, 2*DO, ERPS Ring, 1588 PTP TC, Modbus TCP, Cybersecurity features, Hardware Layer3 OSPFv2 and IPV4/IPV6 Static Routing, supports MQTT, supports 100FX, 1000X, and 2.5G SFP)	902.00	0.00%
IGS-6325-8T8S4X	IP30 Industrial L3 8-Port 10/100/1000T + 8-port 1G/2.5G SFP + 4-Port 10G SFP+ Full Managed Switch (-40 to 75 C, dual redundant power input on 12-48VDC terminal block, DIDO, ERPS Ring, 1588 PTP TC, Modbus TCP, Cybersecurity features, Hardware Layer3 OSPFv2 and IPV4/IPV6 Static Routing, supports MQTT, supports 100FX, 1000X, 2.5G SFP and 10G SFP+)	926.00	0.00%
IGS-6325-8T8S	IP30 Industrial L3 8-Port 10/100/1000T + 8-port 1G/2.5G SFP Full Managed Switch (-40 to 75 C, dual redundant power input on 12-48VDC terminal block, DIDO, ERPS Ring, 1588 PTP TC, Modbus TCP, Cybersecurity features, Hardware Layer3 OSPFv2 and IPV4/IPV6 Static Routing, supports MQTT, supports 100FX, 1000X and 2.5G SFP)	817.00	0.00%
IGS-6325-8T4X	IP30 Industrial L3 8-Port 10/100/1000T + 4-Port 10G SFP+ Full Managed Switch (-40 to 75 C, dual redundant power input on 12-48VDC terminal block, DIDO, ERPS Ring, 1588 PTP TC, Modbus TCP, Cybersecurity features, Hardware Layer3 OSPFv2 and IPV4/IPV6 Static Routing, supports MQTT, supports 1000X, 2.5G SFP and 10G SFP+)	883.00	0.00%
IGS-5225-8T2S2X	IP30 Industrial L3 8-Port 1000T + 2-Port 1G/2.5G SFP + 2-Port 10G SFP+ Full Managed Switch (-40 to 75 C, dual redundant power input on 12-48VDC terminal block, DIDO, ERPS Ring, 1588, Modbus TCP, Cybersecurity features, Hardware Layer3 OSPFv2 and IPV4/IPV6 Static Routing, supports CloudViewer app and MQTT, supports 100FX, 1000X, 2.5G SFP and 10G SFP+)	864.00	0.00%
IGS-6325-5X1T	IP30 Industrial L3, 5-Port 10GBASE-X SFP+ + 1-Port 10GBASE-T Full Managed Ethernet Switch (-40 to 75 C, dual redundant power input on 9-48VDC terminal block, DIDO, ERPS Ring, 1588 PTP TC, Modbus TCP, Cybersecurity features, Layer 3 RIPv1/v2, OSPFv2/v3 dynamic routing, supports MQTT, supports 1000X, 2.5G SFP and 10G SFP+)	1,367.00	0.00%
IGS-6325-4T2X	IP30 Industrial L3 4-Port 2.5GBASE-T + 2-Port 10GBASE-X SFP+ Managed Ethernet Switch (-40 to 75 C, dual redundant power input on 9-48VDC terminal block, DIDO, ERPS Ring, 1588 PTP TC, Modbus TCP, Cybersecurity features, Layer 3 RIPv1/v2, OSPFv2/v3 dynamic routing, supports MQTT, supports 1000X, 2.5G SFP and 10G SFP+)	648.00	0.00%

<b>Industrial Switch Layer 2+</b>			
IGS-10080MFT	IP30 Industrial 6* 100/1000X SFP + 2* 1G/2.5G SFP + 2*10/100/1000T Full Managed Ethernet Switch (-40 to 75 degree C, dual redundant power input on 12-48VDC terminal block, ERPS Ring, 1588, Modbus TCP, IPv4/IPv6 Static Routing, supports 100FX, 1000X and 2.5G SFP)	527.00	0.00%
IGSW-24040T	IP30 19" Rack Mountable Industrial L2+/L4 Managed Ethernet Switch, 24*1000T with 4 shared 100/1000X SFP (-40 - 75 C, AC + 2 DC, DIDO, ERPS Ring, 1588)	1,047.00	0.00%
IGS-5225-16T4S	IP30 19" Rack Mountable Industrial L2+/L4 Managed Ethernet Switch, 16*1000T + 4*100/1000X SFP (-40 - 75 C, AC + 2 DC, D)	956.00	0.00%
IGS-20040MT	IP30 Industrial L2+, 16* 10/100/1000TP + 4* 100/1000X SFP Full Managed Ethernet Switch (-40 to 75 C, dual redundant power input on 9-48VDC terminal block, 2*DI, 2*DO, ERPS Ring, 1588 PTP TC, Modbus TCP, Cybersecurity features, IPv4/IPv6 Static Routing, supports CloudViewer app and MQTT)	883.00	0.00%
IGS-4215-16T2S	IP30 Industrial L2/L4 16-Port 10/100/1000T + 2-Port 100/1000X SFP Managed Switch (-40-75 degrees C, dual redundant power input on 12-48VDC/24VAC terminal block)	522.00	0.00%
IGS-4215-16T2S-U	IP30 Industrial L2/L4 16-Port 10/100/1000T + 2-Port 100/1000X SFP Managed Switch (-40-75 degrees C, dual redundant power input on 9-48VDC/24VAC terminal block, Micro-USB console port, supports ERPS Ring, watchdog, CloudViewer app, MQTT and Cybersecurity feature), EN50121-4 Railway Certified	565.00	0.00%
IGS-12040MT	IP30 Industrial L2+/L4, 8* 10/100/1000TP + 4* 100/1000X SFP Full Managed Ethernet Switch (-40 to 75 C, dual redundant power input on 12-72VDC terminal block, 2*DI, 2*DO, ERPS Ring, 1588 PTP TC, Modbus TCP, Cybersecurity features, IPv4/IPv6 Static Routing)	616.00	0.00%
IGS-10020MT**	IP30 Industrial L2+/L4 8-Port 1000T + 2-Port 1G/2.5G SFP Full Managed Switch (-40 to 75 C, dual redundant power input on 12-48VDC terminal block, ERPS Ring, 1588, Modbus TCP, Cybersecurity features, IPv4/IPv6 Static Routing, supports CloudViewer app and MQTT, supports 100FX, 1000X and 2.5G SFP) ** Switch Certificato con le norme EN-50121-1 :2017 & EN-50121-4 :2016, per installazioni in ambito ferroviario	471.00	0.00%
IGS-4215-8T2S	IP30 Industrial L2/L4 8-Port 10/100/1000T + 2-Port 100/1000X SFP Managed Switch (-40-75 degrees C, dual redundant power input on 9-48VDC/24VAC terminal block, supports ERPS Ring, CloudViewer app, MQTT and Cybersecurity feature)	384.00	0.00%
IGS-5225-4T2S	IP30 Industrial L2+/L4 4-Port 1000T + 2-Port 100/1000X SFP Full Managed Switch (-40 to 75 C, dual redundant power input on 12-48VDC terminal block, ERPS Ring, 1588, Modbus TCP, Cybersecurity features, IPv4/IPv6 Static Routing, supports CloudViewer app and MQTT)	387.00	0.00%
IGS-4215-4T2S	IP30 Industrial L2/L4 4-Port 10/100/1000T + 2-Port 100/1000X SFP Managed Switch (-40-75 degrees C, dual redundant power input on 9-48VDC/24VAC terminal block, supports ERPS Ring, CloudViewer app, MQTT and Cybersecurity feature)	304.00	0.00%
IGS-801M	IP30 Slim type 8-Port Industrial Manageable Gigabit Ethernet Switch (-40 to 75 degree C, dual redundant power input on 12-48VDC / 24VAC terminal block, SNMPv3, 802.1Q VLAN, IGMP Snooping, TLS, SSH, ACL, Cybersecurity features, supports CloudViewer app and MQTT)	275.00	0.00%
<b>Industrial Timing Sensitive Network (TSN) Switch</b>			
TSN-6325-8T4S4X	IP30 DIN-rail Industrial L3 8-Port 10/100/1000T + 4-port 1G/2.5G SFP + 4-Port 10G SFP+ Managed TSN Switch (-40 to 75 C, Time-Sensitive Networking technology, 802.1AS Time Synchronization, hardware-based 1588 PTP Master/Slave/TC/Boundary-clock, ERPS Ring, Modbus TCP, ONVIF, Cybersecurity features, Layer3 RIPv1/v2, OSPFv2/v3 routing, supports CloudViewer app and MQTT, supports 100FX, 1000X, 2.5G SFP and 10G SFP+)	1,700.00	0.00%
<b>Industrial Optic Fiber bypass Switch</b>			
IFB-244-MLC	Industrial 2-channel Optical Fiber Bypass Switch w/ 4xLC multimode (-40-75 C, dual 9-48V DC/24V AC)	430.00	0.00%
IFB-244-SLC	Industrial 2-channel Optical Fiber Bypass Switch w/ 4x LC Single mode (-40-75 C, dual 9-48V DC/24V AC)	430.00	0.00%
IFB-244-MSC	Industrial 2-channel Optical Fiber Bypass Switch w/ 4 x SC multimode (-40-75 C, dual 9-48V DC/24V AC)	430.00	0.00%
IFB-244-SSC	Industrial 2-channel Optical Fiber Bypass Switch w/ 4x SC Single mode (-40-75 C, dual 9-48V DC/24V AC)	430.00	0.00%
<b>Unmanaged Industrial Ethernet Switch Entry Level</b>			
IGS-1000-8T4X	IP30 Industrial 8-Port 10/100/1000T + 4-Port 10G SFP+ Ethernet Switch (-40-75 degrees C, dual 9-48V DC/24V AC, supports 1G/2.5G/10G SFP transceivers)	594.00	0.00%
IGS-1820TF	IP30 Industrial 16-Port 10/100/1000T + 2-Port 1000X SFP Gigabit Ethernet Switch (-40-75 degrees C, dual 12-48V DC/24V AC)	430.00	0.00%
IGS-1600T	IP30 Industrial 16-Port 10/100/1000T Gigabit Ethernet Switch (-40-75 degrees C, dual 12-48V DC/24V AC)	390.00	0.00%
IGS-1020TF	IP30 Industrial 8-Port 10/100/1000T + 2-Port 100/1000X SFP Ethernet Switch (-40-75 degrees C)	266.00	0.00%
IGS-620TF	IP30 Industrial 4-Port 10/100/1000T + 2-Port 100/1000X SFP Gigabit Switch (-40 to 75 degree C)	239.00	0.00%
IGS-510TF	IP30 Industrial 4-Port 10/100/1000T + 1-Port 100/1000X SFP Gigabit Switch (-40 to 75 degree C, dual 9-48V DC/24V AC)	190.00	0.00%
IGS-801T	IP30 Slim type 8-Port Industrial Gigabit Ethernet Switch (-40 to 75 degree C)	200.00	0.00%
IGS-501T	IP30 Slim type 5-Port Industrial Gigabit Ethernet Switch (-40 to 75 degree C)	135.00	0.00%
IGS-500T	IP30 Compact size 5-Port 10/100/1000T Gigabit Ethernet Switch (-40-75 degrees C)	125.00	0.00%
<b>DIN-Rail Fast Ethernet Switch. Richiedono Alimentatore Din Rail Serie NDR.....</b>			
ISW-1600T	IP30 Industrial 16-Port 10/100TX Ethernet Switch (-40-75 C, dual redundant power input on 12-48VDC / 24VAC terminal block), UL Certified	254.00	0.00%
ISW-800T	IP30 Compact size 8-Port 10/100TX Fast Ethernet Switch (-40-75 degrees C), UL Certified	114.00	0.00%
ISW-801T	IP30 Slim Type 8-Port Industrial Fast Ethernet Switch (-40 to 75 degree C)	114.00	0.00%
ISW-500T	IP30 Compact size 5-Port 10/100TX Fast Ethernet Switch (-40-75 degrees C), UL Certified	106.00	0.00%
ISW-501T	IP30 Slim Type 5-Port Industrial Fast Ethernet Switch (-40 to 75 degree C)	106.00	0.00%
ISW-511	IP30 Slim Type 4-Port Industrial Ethernet Switch + 1-Port 100Base-FX(SC) (-10 - 60 C), UL Certified	127.00	0.00%
ISW-511T	IP30 Slim Type 4-Port Industrial Ethernet Switch + 1-Port 100Base-FX(SC) (-40 - 75 C)	132.00	0.00%
ISW-511TS15	IP30 Slim Type 4-Port Industrial Ethernet Switch + 1-Port 100Base-FX(15KM) (-40 - 75 C)	140.00	0.00%
ISW-621T	IP30 Slim Type 4-Port Industrial Ethernet Switch + 2-Port 100Base-FX(SC) (-40 - 75 C)	159.00	0.00%
ISW-621TS15	IP30 Slim Type 4-Port Industrial Ethernet Switch + 2-Port 100Base-FX(15KM) (-40 - 75 C)	180.00	0.00%
ISW-621TF	IP30 Slim Type 4-Port Industrial Ethernet Switch + 2-Port SFP Fiber (-40 - 75 C)	127.00	0.00%
IFGS-1022TF	IP30 Industrial 8-Port 10/100TX + 2-Port Gigabit TP/SFP Combo Ethernet Switch (-40 to 75 C, dual redundant power input on 9-48VDC/24VAC terminal block)	225.00	0.00%
IFGS-1822TF	IP30 Industrial 16-Port 10/100TX + 2-Port Gigabit TP/SFP Combo Ethernet Switch (-40-75C, dual redundant power input on 12-48VDC / 24VAC terminal block)	324.00	0.00%
<b>INDUSTRIAL SWITCH POE (Power over ethernet)</b>			
<b>Industrial Gigabit PoE Switch L3 (richiedono Alimentatore Din-Rail Serie NDR ....)</b>			
IGS-6325-24UP4X	IP30 19" Rack Mountable Industrial L3 Managed PoE Switch, 24-Port 10/100/1000T 95W 802.3bt PoE + 4-Port 10G SFP+ (-40 to 75 C, fanless design, 1440W PoE budget, 802.3bt/UPoE/Force modes, dual power input on 48-54VDC, DIDO, ERPS Ring, 1588, Modbus TCP, ONVIF, Cybersecurity features, hardware Layer 3 RIPv1/v2, OSPFv2/v3 routing, supports CloudViewer app and MQTT, supports 1000X, 2.5G SFP and 10G SFP+)	1,618.00	0.00%
IGS-6325-24P4X	IP30 19" Rack Mountable Industrial L3 Managed PoE Switch, 24-Port 10/100/1000T 802.3at PoE + 4-Port 10G SFP+ (-40 to 75 C, dual redundant power input on 48-56VDC, DIDO, ERPS Ring, 1588, Modbus TCP, ONVIF, Cybersecurity features, Hardware Layer3 OSPFv2, fanless design, supports CloudViewer app and MQTT, supports 100FX, 1000X, 2.5G SFP and 10G SFP+)	1,544.00	0.00%

IGS-6325-24P4S	IP30 19" Rack Mountable Industrial L3 Managed PoE Switch, 24-Port 10/100/1000T 802.3at PoE with <b>4 shared 100/1000X</b> (-40 to 75 C, dual redundant power input on 48-56VDC, DIDO, ERPS Ring, 1588, Modbus TCP, ONVIF, Cybersecurity features, Hardware Layer3 OSPFv2, fanless design)	1,454.00	0.00%
IGS-6325-16P4S	IP30 DIN-rail Industrial L3 16-Port 10/100/1000T 802.3at PoE + 4-port 1G/2.5G SFP Full Managed Switch (-40 to 75 C, dual redundant power input on 48-56VDC terminal block, DIDO, ERPS Ring, 1588, Modbus TCP, ONVIF, Cybersecurity features, Hardware Layer3 OSPFv2, supports MQTT, supports 100FX, 1000X and 2.5G SFP)	1,251.00	0.00%
IGS-20160HPT	IP30 DIN-rail Industrial L3 16-Port 10/100/1000T 802.3at PoE + 2-Port 10/100/1000T + 2-port 1G/2.5G SFP Full Managed Switch (-40 to 75 C, dual redundant power input on 48-56VDC terminal block, DIDO, ERPS Ring, 1588, Modbus TCP, ONVIF, Cybersecurity features, Hardware Layer3 OSPFv2, supports CloudViewer app and MQTT, supports 100FX, 1000X and 2.5G SFP)	1,174.00	0.00%
IGS-6329-8UP2S4X	IP30 DIN-rail Industrial L3 8-Port 10/100/1000T <b>802.3bt PoE</b> + 2-port 1G/2.5G SFP + <b>4-Port 10G SFP+</b> Full Managed Switch (-40 to 75 C, 8-port 95W PoE+, 802.3bt/PoH/Force modes, DIDO, ERPS Ring, 1588 PTP TC, Modbus TCP, ONVIF, Cybersecurity features, Layer3 OSPFv2 routing, supports CloudViewer app and MQTT, supports 100FX, 1000X, 2.5G SFP and 10G SFP+, EN61000-6-2/-4 Heavy Industrial EMC and EN50121-4 Railway certified)	1,274.00	0.00%
IGS-6329-8UP2S2X	IP30 DIN-rail Industrial L3 8-Port 10/100/1000T <b>802.3bt PoE</b> + 2-port 1G/2.5G SFP + 2-Port <b>10G SFP+</b> Full Managed Switch (-40 to 75 C, 8-port 95W PoE+, 802.3bt/PoH/Force modes, DIDO, ERPS Ring, 1588 PTP TC, Modbus TCP, ONVIF, Cybersecurity features, Layer3 OSPFv2 routing, supports CloudViewer app and MQTT, supports 100FX, 1000X, 2.5G SFP and 10G SFP+, EN61000-6-2/-4 Heavy Industrial EMC and EN50121-4 Railway certified)	1,234.00	0.00%
IGS-6325-8UP2S2X	IP30 DIN-rail Industrial L3 8-Port 10/100/1000T <b>802.3bt PoE</b> + 2-port 1G/2.5G SFP + 2-Port <b>10G SFP+</b> Full Managed Switch (-40 to 75 C, 8-port 95W PoE+, 802.3bt/PoH/Force modes, dual redundant power input on 48-56VDC terminal block, DIDO, ERPS Ring, 1588 PTP TC, Modbus TCP, ONVIF, Cybersecurity features, Hardware Layer3 OSPFv2 and IPv4/IPv6 Static Routing, supports CloudViewer app and MQTT, supports 100FX, 1000X, 2.5G SFP and 10G SFP+)	952.00	0.00%
IGS-6325-8UP2S	IP30 DIN-rail Industrial L3 8-Port 10/100/1000T <b>802.3bt PoE</b> + 2-port 1G/2.5G SFP Full Managed Switch (-40 to 75 C, 8-port 95W PoE+, 802.3bt/PoH/Force modes, dual redundant power input on 48-56VDC terminal block, DIDO, ERPS Ring, 1588 PTP TC, Modbus TCP, ONVIF, Cybersecurity features, Hardware Layer3 OSPFv2 and IPv4/IPv6 Static Routing, supports MQTT, supports 100FX, 1000X and 2.5G SFP)	858.00	0.00%
IGS-5225-8P2S2X	IP30 Industrial L3 8-Port 1000T <b>802.3at</b> PoE+ 2-port 1G/2.5G SFP + 2-port 10G SFP+ Full Managed Switch (-40 to 75 C, dual redundant power input on 48-56VDC terminal block, DIDO, ERPS Ring, 1588, Modbus TCP, Cybersecurity features, Hardware Layer3 OSPFv2 and IPv4/IPv6 Static Routing, supports CloudViewer app and MQTT, supports 100FX, 1000X, 2.5G SFP and 10G SFP+)	923.00	0.00%
IGS-6325-4UP2X	IP30 DIN-rail Industrial L3 4-Port <b>2.5GBASE-T 802.3bt PoE</b> + 2-Port 10G SFP+ Full Managed Switch (-40 to 75 C, 4-port 95W PoE+, 360W PoE budget, 802.3bt/UPoE/Force modes, DIDO, ERPS Ring, 1588 PTP TC, Modbus TCP, ONVIF, Cybersecurity features, Layer3 RIPv1/v2, OSPFv2/v3 routing, supports CloudViewer app and MQTT, supports 1000X, 2.5G SFP and 10G SFP+)	834.00	0.00%
<b>Industrial Gigabit PoE Switch L2+ (richiedono Alimentatore Din-Rail Serie NDR ...)</b>			
IGS-5225-4UP1T2S	IP30 Industrial <b>L2+/L4</b> 4-Port 10/100/1000T <b>802.3bt PoE</b> + 1-Port 1000T + 2-port 100/1000X SFP Full Managed Switch (-40 to 75 C, dual redundant power input on 48-56VDC terminal block, DIDO, ERPS Ring Supported, 1588, Modbus TCP, ONVIF, Cybersecurity features)	653.00	0.00%
IGS-4215-16P2T2S	IP30 Industrial L2/L4 16-Port 10/100/1000T 802.3at PoE + 2-Port 10/100/1000T + 2-Port 100/1000X SFP Managed Switch (320 watts PoE budget, -40-75 degrees C, dual redundant power input on 48-54VDC terminal block, DIDO, SNMPv3, 802.1Q VLAN, IGMP Snooping, TLS, SSH, ACL, 250m Extend mode, supports ERPS Ring, CloudViewerPro app, MQTT and Cybersecurity feature)	864.00	0.00%
IGS-5225-8P2T4S	IP30 Industrial L2+/L4 8-Port 1000T 802.3at PoE+ 2-port 10/100/1000T + 2-Port 100/1G SFP + 2-Port 1G/2.5G SFP Full Managed Switch (-40 to 75 C, dual redundant power input on 48-56VDC terminal block, DIDO, ERPS Ring, 1588, Modbus TCP, ONVIF, Cybersecurity features, supports CloudViewer app and MQTT, supports 100FX, 1000X and 2.5G SFP)	798.00	0.00%
IGS-5225-8P2T2S	IP30 Industrial L2+/L4 8-Port 1000T 802.3at PoE+ 2-port 10/100/1000T + 2-Port 1G/2.5G SFP Full Managed Switch (-40 to 75 C, dual redundant power input on 48-56VDC terminal block, DIDO, ERPS Ring, 1588, Modbus TCP, ONVIF, Cybersecurity features, supports CloudViewer app and MQTT, supports 100FX, 1000X and 2.5G SFP)	770.00	0.00%
IGS-5225-8P4S	IP30 Industrial L2+/L4 8-Port 1000T 802.3at PoE + 2-Port 100/1000X SFP Full Managed Switch (-40 to 75 C, dual redundant power input on 48-56VDC terminal block, DIDO, ERPS Ring, 1588, Modbus TCP, ONVIF, Cybersecurity features)	766.00	0.00%
IGS-5225-8P4S-12V	IP30 Industrial L2+/L4 8-Port 1000T 802.3at PoE + 2-Port 100/1G SFP + 2-Port 1G/2.5G SFP Managed Switch w/ 12V Booster (-40 to 75 C, dual <b>12-54V DC</b> power boost, DIDO, ERPS Ring, 1588 PTP TC, Modbus TCP, ONVIF, Cybersecurity, CloudViewer app and MQTT, supports 100FX, 1000X and 2.5G SFP)	864.00	0.00%
IGS-10020HPT	IP30 Industrial L2+/L4 8-Port 1000T 802.3at PoE + 2-Port 1G/2.5G SFP Full Managed Switch (-40 to 75 C, <b>12V-48V DC</b> power boost, DIDO, ERPS Ring, 1588, Modbus TCP, ONVIF, Cybersecurity features, e-mark certified, IPv4/IPv6 Static Routing, supports CloudViewer app and MQTT, supports 100FX, 1000X and 2.5G SFP)	723.00	0.00%
IGS-10020PT	IP30 Industrial L2+/L4 8-Port 1000T 802.3at PoE + 2-Port 1G/2.5G SFP Full Managed Switch (-40 to 75 C, dual redundant power input on 48-56VDC terminal block, DIDO, ERPS Ring, 1588, Modbus TCP, ONVIF, Cybersecurity features, IPv4/IPv6 Static Routing, supports MQTT, supports 100FX, 1000X and 2.5G SFP)	659.00	0.00%
IGS-5225-4P2S	IP40 Industrial L2+/L4 4-Port 1000T 802.3at PoE + 2-Port 100/1000X SFP Full Managed Switch (-40 to 75 C, dual redundant power input on 48-56VDC terminal block, ERPS Ring, 1588, Modbus TCP, ONVIF, supports CloudViewer app, MQTT and Cybersecurity features)	470.00	0.00%
IGS-4215-8UP2T2S	IP30 Industrial L2/L4 8-Port 10/100/1000T <b>802.3bt PoE</b> + 2-Port 10/100/1000T + 2-Port 100/1000X SFP Managed Switch (-40-75 degrees C, 8-port 95W PoE+, 802.3bt/Legacy/Force modes, dual redundant power input on 48-54VDC terminal block, SNMPv3, 802.1Q VLAN, IGMP Snooping, TLS, SSH, ACL, 250m Extend mode, supports ERPS Ring, CloudViewer app, MQTT and Cybersecurity feature)	638.00	0.00%
IGS-4215-4UP4T2S	IP30 Industrial L2/L4 4-Port 10/100/1000T <b>802.3bt PoE</b> + 4-Port 10/100/1000T + 2-Port 100/1000X SFP Managed Switch (-40-75 degrees C, 4-port 95W PoE+, 802.3bt/Legacy/Force modes, dual redundant power input on 48-56VDC terminal block, SNMPv3, 802.1Q VLAN, IGMP Snooping, TLS, SSH, ACL, 250m Extend mode, supports ERPS Ring, CloudViewer app, MQTT and Cybersecurity feature)	570.00	0.00%
IGS-4215-8P2T2S	IP30 Industrial L2/L4 8-Port 10/100/1000T 802.3at PoE + 2-Port 10/100/1000T + 2-Port 100/1000X SFP Managed Switch (-40-75 degrees C), dual redundant power input on 48-56VDC terminal block, SNMPv3, 802.1Q VLAN, IGMP Snooping, SSL, SSH, ACL	564.00	0.00%
IGS-4215-4P4T2S	IP30 Industrial L2/L4 4-Port 10/100/1000T 802.3at PoE + 4-Port 10/100/1000T + 2-Port 100/1000X SFP Managed Switch (-40-75 degrees C), dual redundant power input on 48-56VDC terminal block, SNMPv3, 802.1Q VLAN, IGMP Snooping, SSL, SSH, ACL	538.00	0.00%
IGS-4215-4P4T	IP30 Industrial L2/L4 4-Port 10/100/1000T 802.3at PoE + 4-Port 10/100/1000T Managed Switch (-40-75 degrees C), dual redundant power input on 48-56VDC terminal block, SNMPv3, 802.1Q VLAN, IGMP Snooping, SSL, SSH, ACL	498.00	0.00%
<b>Industrial Gigabit PoE Switch UNmanaged (richiedono Alimentatore)</b>			
IGS-1000-8UP4X	IP30 Industrial 8-Port 10/100/1000T 802.3bt PoE + 4-Port 10G SFP+ Ethernet Switch (360W PoE budget, PoE Usage LED, -40-75 degrees C, dual 48-54V DC, supports 1G/2.5G/10G SFP transceivers)	713.00	0.00%
IGS-824UPT	IP30 Industrial 4-Port 10/100/1000T 95W 802.3bt PoE + 2-Port 10/100/1000T + 2-Port 100/1000X SFP Gigabit Ethernet Switch(802.3bt Type-4, PoH, Legacy mode support, -40 to 75 C, dual 48V-54V DC, PoE Usage LED)	426.00	0.00%

IGS-1020PTF	IP30 Industrial 8-Port 10/100/1000T 802.3at PoE + 2-Port 100/1000X SFP Ethernet Switch (-40~75 degrees C, 250m Extend mode, PoE Usage LED, dual 48V~56V DC)	416.00	0.00%
IGS-1020PTF-12V	IP30 Industrial 8-Port 10/100/1000T 802.3at PoE + 2-Port 100/1000X SFP Ethernet Switch w/ 12V Booster (-40~75 degrees C, 250m Extend mode, PoE Usage LED, dual 12V~56V DC power boost)	493.00	0.00%
IGS-624HPT	IP30, Unmanaged, 6-Port Gigabit Switch with 4-Port 802.3AT POE+ plus 2-port 100/1000X SFP (-40 to 75 C)	423.00	0.00%
IGS-614HPT	IP40, Unmanaged, 4-Port Gigabit Switch with 4-Port 802.3AT POE+1-Port 10/100/1000T+1-Port 100/1000sfp Gigabit Ethernet S	375.00	0.00%
IGS-504HPT	IP30, Unmanaged, 5-Port Gigabit Switch with 4-Port 802.3AT POE+ (-40 to 75 C) (12-48VDC)	370.00	0.00%
IGS-504PT	IP30 Compact size 4-Port 10/100/1000T 802.3at PoE + 1-Port 10/100/1000T Gigabit Ethernet Switch (-40~75 degrees C, dual 4	315.00	0.00%
<b>Industrial Fast Ethernet PoE Switch Unmanaged (richiedono Alimentatore Din-Rail Serie NDR ....)</b>			
IFGS-1022HPT	IP30 Industrial 8-Port 10/100TX 802.3at PoE + 2-Port Gigabit TP/SFP combo Ethernet Switch (-40 to 75 C, 250m Extend mode, dual redundant power input on 48-56VDC terminal block)	406.00	0.00%
ISW-504PT	IP30 5-Port 10/100TX, Con 4 Porte PoE 802.3af Industrial Fast Ethernet Switch (-40 to 75 C), Power Input 12-48VDC- Output p	283.00	0.00%
ISW-514PTF	IP30 4-Port/TP + 1-Port Fiber(SFP) POE Industrial Fast Ethernet Switch (-40 to 75 C), Power Input 12-48VDC- Output per port f	285.00	0.00%
<b>Solar Power POE Conversion SWITCH</b>			
BSP-360	IP30 Industrial Renewable Energy 4-Port 10/100/1000T 802.3at PoE+ Managed Ethernet Switch. (-10 to 60 degree C, 4-Port Gigabit 802.3at PoE+ injector + 1-Port Gigabit Ethernet; 24V/1A DC output, Web managemen	789.00	0.00%
NMS-360	Renewable Energy Management Controller- 512 nodes (Manage 512 BSP-360s, 5 10/100/1000T LAN Ports, MQTT/SNMP/ONVIF/SmartDiscovery, Traffic&Power history graph, Event alarm, On-time Generation Power&PoE usage&battery capacity&linkup port traffic viewer, site map, batch provisioning, remote PoE ON/OFF, DDNS, cybersecurity features)	1,175.00	0.00%
NMS-360V-10	Renewable Energy Management Controller with 10" LCD Touch Screen- 512 nodes (Manage 512 BSP-360s, 1 10/100/1000T LAN Port, MQTT/SNMP/ONVIF/SmartDiscovery, Traffic&Power history graph, Event alarm, On-time Generation Power&PoE usage&battery capacity&linkup port traffic viewer, site map, batch provisioning, remote PoE ON/OFF, DDNS, cybersecurity features)	2,288.00	0.00%
NMS-360V-12	Renewable Energy Management Controller with 12" LCD Touch Screen- 512 nodes (Manage 512 BSP-360s, 2 10/100/1000T LAN Ports, MQTT/SNMP/ONVIF/SmartDiscovery, Traffic&Power history graph, Event alarm, On-time Generation Power&PoE usage&battery capacity&linkup port traffic viewer, site map, batch provisioning, remote PoE ON/OFF, DDNS, cybersecurity features)	2,795.00	0.00%
<b>INDUSTRIAL POE DEVICES (injector and splitter)</b>			
<b>Industrial PoE injector and splitter (richiedono Alimentatore serie NDR....)</b>			
IPOE-470	IP30 Industrial 4-port 10/100/1000T <b>95W 802.3bt PoE++</b> Injector Hub (240 Watts PoE budget, PoE Usage LED, BT&PoH/Force DIP switch, -40~75 degrees C, dual 48V~54V DC)	318.00	0.00%
IPOE-470-12V	IP30 Industrial 4-port 10/100/1000T <b>95W 802.3bt PoE++</b> Injector Hub w/ 12V Booster (240 Watts PoE budget, PoE Usage LED, BT&PoH/Force DIP switch, -40~75 degrees C, dual 12V~54V DC power boost)	430.00	0.00%
IPOE-270	IP30 Industrial 2-Port Multi-gigabit <b>802.3bt PoE++</b> Injector (180 Watts budget, PoE Usage LED, 10M/100M/1G/2.5G/5G speed, -40 to 75 C, dual 48V~56V DC)	204.00	0.00%
IPOE-270-12V	IP30 Industrial 2-Port Multi-gigabit <b>802.3bt PoE++</b> Injector (180 Watts budget, PoE Usage LED, 10M/100M/1G/2.5G/5G speed, -40 to 75 C, dual 12V~56V DC power boost)	320.00	0.00%
IPOE-171-95W	IP30, Industrial Single-Port 10/100/1000Mbps <b>802.3bt</b> Ultra PoE Injector (95 Watts, PoH, Legacy mode support, PoE Usage LED, -40 to 75 C, 12V-48V DC power boost)	304.00	0.00%
IPOE-171-60W	IP30, Industrial Single-Port 10/100/1000Mbps <b>802.3bt</b> Ultra PoE Injector (60 Watts, Legacy mode support, PoE Usage LED, -40 to 75 C)	189.00	0.00%
IPOE-175	<b>IP67</b> , rated 1-Port 60W <b>802.3bt PoE++</b> Injector (24-56v power boost, IK10 impact protection, -40 to 75 C ), 3x waterproof cable glands included	199.00	0.00%
IPOE-260	Industrial 2-Port 10/100/1000 T pOe 802.3at+ Injector (-40-75 degrees C)	144.00	0.00%
IPOE-260-12V	Industrial 2-Port 10/100/1000 T pOe 802.3at+ Injector w/ 12V Booster(-40-75 degrees C, 12-56VDC)	176.00	0.00%
IPOE-162	IP30, Industrial 802.3at (30W) High Power PoE Injector (-40 to 75 C), 12V-48V DC POWER BOOST	135.00	0.00%
IPOE-165	<b>IP67</b> , rated 1-Port 802.3at PoE+ Injector (24-56v power boost, IK10 impact protection, -40 to 75 C ), 3x waterproof cable glands included	138.00	0.00%
<b>Industrial PoE splitter</b>			
IPOE-173S	IP30, Industrial Single-Port 10/100/1000T 802.3bt PoE++ Splitter - 12V & 24V ( -40~75 degrees C, 802.3bt type 4 PD, PoH compatible)	208.00	0.00%
IPOE-175S	IP67-rated Industrial Single-port 10/100/1000T 802.3bt PoE++ Splitter - 12VDC (-40~75 degrees C, IK10 impact protection, 802.3bt type 3 PD, PoH compatible), 3 x waterproof cable glands included	179.00	0.00%
IPOE-162S	IP30, Industrial 802.3at High Power PoE Splitter - 12V & 24V (-40 to 75 C)	126.00	0.00%
<b>Industrial PoE injector extender</b>			
IPOE-E302	IP67-rated Industrial 1-Port 802.3bt PoE++ to 2-Port 802.3at <b>PoE+ Extender</b> (-40~75 degrees C, IK10 impact protection), 3 x waterproof cable glands included	201.00	0.00%
IPOE-E174	IP30 Industrial 1-Port 60W Ultra POE to 4-Port 802.3af/at Gigabit <b>POE Extender</b> (-40 to 75 C)	247.00	0.00%
WGS-E304PT	IP30 Industrial 1-Port 95W 802.3bt PoE++ to 4-Port 802.3at PoE+ <b>Wall-mounted PoE Extender</b> (-40 to 75 C, Standard/VLAN/Extend mode, fanless desing, wall mounting, magnetic wall mounting or DIN-rail mounting)	210.00	0.00%
<b>FLAT SWITCH</b>			
<b>Industrial Flat Ethernet Solution (Managed) Temperatura da -40 a + 75 C (richiedono Alimentatore Serie NDR ...)</b>			
WGS-4215-16P2S	IP40, IPv6/IPv4, 16-Port 1000T 802.3at PoE + 2-Port 100/1000X SFP Wall-mount Managed Ethernet Switch (-10 to 60 C, dual power input on 48-56VDC terminal block and power jack, SNMPv3, 802.1Q VLAN, IGMP Snooping, SSL, SSH, ACL)	541.00	0.00%
WGS-6325-8UP2X	IP30 Industrial L3 4-Port 2.5G 802.3bt PoE + 4-Port 10/100/1000T 802.3bt PoE + 2-Port 10G SFP+ Wall-mount Managed Switch (-40 to 75 C, 8-port 95W PoE++, 480W PoE budget, 802.3bt/UPoE/Force modes, ERPS Ring, 1588 PTP TC, Modbus TCP, ONVIF, Cybersecurity features, Layer3 RIPv1/v2, OSPFv2/v3 routing, supports CloudViewer app and MQTT, supports 1000X, 2.5G SFP and 10G SFP+)	923.00	0.00%
WGS-5225-8UP2SV	IP30, IPv6/IPv4, L2+ 8-Port 10/100/1000T <b>802.3bt PoE</b> + 2-Port 1G/2.5G SFP Wall-mount Managed Switch with <b>LCD touch screen</b> (-20-70 degrees C, Max. 720W PoE budget, dual power input on 48-54VDC terminal block, 200m Extend mode, ERPS Ring, 1588, Modbus TCP, ONVIF, Cybersecurity features, IPv4/IPv6 Static Routing, supports PLANET CloudViewer app and MQTT, supports 100FX, 1000X and 2.5G SFP)	747.00	0.00%
WGS-5225-8P2SV	IP30, IPv6/IPv4, L2+ 8-Port 10/100/1000T 802.3at PoE + 2-Port 1G/2.5G SFP Wall-mount Managed Switch with <b>LCD touch screen</b> (-20-70 degrees C, dual power input on 48-56VDC terminal block and power jack, ERPS Ring, 1588, Modbus TCP, ONVIF, SNMPv3, 802.1Q VLAN, IGMP Snooping, SSL, SSH, ACL, supports 100FX, 1000X and 2.5G SFP)	554.00	0.00%
WGS-5225-8P2S	<b>Layer 2+</b> , IP30, IPv6/IPv4, L2+ 8-Port 10/100/1000T 802.3at PoE + 2-Port 1G/2.5G SFP Wall-mount Managed Switch (-40~75 degrees C, dual power input on 48-56VDC terminal block and power jack, ERPS Ring, <b>1588</b> , Modbus TCP, <b>ONVIF</b> , SNMPv3, 802.1Q VLAN, IGMP Snooping, SSL, SSH, ACL, supports 100FX, 1000X and 2.5G SFP)	461.00	0.00%
WGS-4215-8P2S	<b>Layer 2</b> , IP30, IPv6/IPv4, 8-Port 1000T 802.3at PoE + 2-Port 100/1000X SFP Wall-mount Managed Ethernet Switch (-40 to 75 C, dual power input on 48-56VDC terminal block and power jack, SNMPv3, supports ERPS Ring, 802.1Q VLAN, IGMP Snooping, TLS, SSH, ACL, Cybersecurity features, supports CloudViewer app and MQTT, 250m Extend mode)	418.00	0.00%



WGS-4215-8HP2S	IP30, IPv6/IPv4, 4-Port 10/100/1000T 802.3bt 95W PoE + 4-Port 10/100/1000T 802.3at PoE + 2-Port 100/1000X SFP Wall-mount Managed Switch (-40~75 C, Max. 360W PoE budget, 250m Extend mode, supports ERPS Ring, CloudViewer app, MQTT and CyberSecurity features)	450.00	0.00%
WGS-804HPT	IP30, IPv6/IPv4, 8-Port 1000TP Wall-mount Managed Ethernet Switch with 4-Port 802.3at POE+ (-40 to 75 C), dual redundant power input on 48-56VDC terminal block and power jack, SNMPv3, 802.1Q VLAN, IGMP Snooping, SSL, SSH, ACL	268.00	0.00%
WGS-4215-8T2S	IP30, IPv6/IPv4, 8-Port 1000TP + 2-Port 100/1000F SFP Wall-mount Managed Ethernet Switch (-40 to 75 C), dual redundant power input on 12-48VDC / 24VAC terminal block and power jack, SNMPv3, 802.1Q VLAN, IGMP Snooping, TLS, SSH, ACL, Cybersecurity features, supports CloudViewer app and MQTT	259.00	0.00%
WGS-4215-8T	IP30, IPv6/IPv4, 8-Port 1000TP Wall-mount Managed Ethernet Switch (-40 to 75 C), dual redundant power input on 12-48VDC / 24VAC terminal block and power jack, SNMPv3, 802.1Q VLAN, IGMP Snooping, SSL, SSH, ACL	246.00	0.00%
<b>Entry Level Industrial Flat Ethernet Solution (Managed) Temperatura da -10/20 a + 60/70 C Richiedono Alimentatore serie NDR...</b>			
WGS-5225-8T2SV	IP30, IPv6/IPv4, L2+ 8-Port 10/100/1000T + 2-Port 1G/2.5G SFP Wall-mount Managed Switch with LCD touch screen (-20~70 degrees C, dual power input on 12-48VDC terminal block and power jack, ERPS Ring, 1588, Modbus TCP, ONVIF, SNMPv3, 802.1Q VLAN, IGMP Snooping, SSL, SSH, ACL, supports 100FX, 1000X and 2.5G SFP)	434.00	0.00%
WGS-5225-8MT	IP40, IPv6/IPv4 Industrial L2+ 8-Port 10/100/1000T M12 connectors Wall-mount Managed Switch(-40~75 degrees C, X-coded M12, Relay Bypass function with two M12 ports, dual power input 12-48VDC, ERPS Ring, 1588 TC, Modbus TCP, Cybersecurity features, IPv4/IPv6 Static Routing, supports PLANET NMS controller MQTT)	782.00	0.00%
WGR-500	IP30 Industrial 5-Port 10/100/1000T Wall-mount Gigabit Router (Dual power input on 9-48VDC terminal block and power jack, -10~60 degrees C, Hardware NAT, IPv6)	170.00	0.00%
WGR-500-4P	IP30 Industrial Wall-mount Gigabit Router with 4-Port 802.3at PoE+(120W PoE Budget, dual power input on 48-56VDC terminal block and power jack, -10~60 degrees C, Hardware NAT, IPv6)	261.00	0.00%
WGR-500-4PV	IP30 Industrial Wall-mount Gigabit Router with 4-Port 802.3at PoE+ and LCD Touch Screen(120W PoE Budget, dual power input on 48-56VDC terminal block and power jack, -10~60 degrees C, Hardware NAT, IPv6)	336.00	0.00%
<b>Industrial Flat Ethernet Solution (Unmanaged) Richiedono NDR.....</b>			
WGS-803	IP30 8-Port Gigabit , Unmanaged,Wall-mount Switch (-10 to 60 C), dual redundant power input on 12-48VDC terminal block and	161.00	0.00%
WGS-804HP	IP30 8-Port Gigabit , Unmanaged, Wall-mount Switch/Din Rail (4-Port 802.3at PoE+ 10/100/1000BaseT+4-Port 10/100/1000Ba	219.00	0.00%
WGS-810	IP30 Industrial 8-Port 10/100/1000T Wall-mount Gigabit Switch (Standard/VLAN/Extend mode, fanless, -20 to 60 C),12V 1A AC power adapter included	129.00	0.00%
WGS-814HP	P30 Industrial 8-Port 10/100/1000T Wall-mount Gigabit Switch with 4-Port 802.3at PoE+ (60W PoE Budget, Standard/VLAN/Extend mode, fanless, -20 to 60 C),54V 72W AC power adapter included	204.00	0.00%
WGS-818HP	IP30 Industrial 8-Port 10/100/1000T 802.3at PoE+ Wall-mount Gigabit Switch (120W PoE Budget, Standard/VLAN/Extend mode, fanless, -20 to 60 C), 54V 130W AC power adapter included	296.00	0.00%
<b>MEDIA CONVERSION DEVICES.</b>			
<b>Industrial Media converter 10Gb</b>			
IXT-705AT	Industrial 10G/5G/2.5G/1G/100M Copper to 10GBASE-X SFP+ Media Converter (-40 to 75 degree C, dual redundant power input on 12-48VDC / 24VAC terminal block)	374.00	0.00%
IXT-900-1X1T	IP40 Industrial 1-Port 10G/1GBASE-X SFP+ + 1-Port 10G/5G/2.5G/1G/100BASE-T Managed Media Converter(-40 to 75 C, dual redundant power input on 9~48V DC/24V AC terminal block, IPv4/IPv6 Dual stack management, supports TLSv1.2/SSHv2/SNMPv3 Cybersecurity features, LFP, 802.1Q VLAN, ERPS Ring, PLANET CloudViewerPro app and NMS MQTT)	437.00	0.00%
IXT-900-2X	IP40 Industrial 2-Port 10G/1GBASE-X SFP+ Managed Media Converter(-40 to 75 C, dual redundant power input on 9~48V DC/24V AC terminal block, IPv4/IPv6 Dual stack management, supports TLSv1.2/SSHv2/SNMPv3 Cybersecurity features, LFP, 802.1Q VLAN, ERPS Ring, PLANET CloudViewerPro app and NMS MQTT)	418.00	0.00%
IXT-900-2X1T	IP40 Industrial 2-Port 10G/1GBASE-X SFP+ + 1-Port 10G/5G/2.5G/1G/100BASE-T Managed Media Converter(-40 to 75 C, dual redundant power input on 9~48V DC/24V AC terminal block, IPv4/IPv6 Dual stack management, supports TLSv1.2/SSHv2/SNMPv3 Cybersecurity features, LFP, 802.1Q VLAN, ERPS Ring, PLANET CloudViewerPro app and NMS MQTT)	465.00	0.00%
IXT-900-2X1PD	IP40 Industrial 2-Port 10G/1GBASE-X SFP+ + 1-Port 10G/5G/2.5G/1G/100BASE-T PoE PD Managed Media Converter(-40 to 75 C, dual redundant power input on 9~48V DC/24V AC terminal block, PoE PD, IPv4/IPv6 Dual stack management, supports TLSv1.2/SSHv2/SNMPv3 Cybersecurity features, LFP, 802.1Q VLAN, ERPS Ring, PLANET CloudViewerPro app and NMS MQTT)	507.00	0.00%
<b>Industrial Media Converter 10/100/1000 (Also PoE 802.3at, 802.3bt)</b>			
IGT-1205AT	IP30 Industrial 10/100/1000T to 2-Port 100/1000X SFP Gigabit Media Converter (-40 to 75 degree C)	227.00	0.00%
IGT-2205AT	IP30 Industrial 2-port 10/100/1000T to 2-port 100/1000/2500X SFP Media Converter(-40 to 75 degree C, dual 12~48V DC/24V AC, Fiber ports Switch/Redundant mode DIP switch)	236.00	0.00%
IGT-805AT	IP30 Industrial 10/100/1000T to 100/1000X SFP Gigabit Media Converter (-40 to 75 degree C, LFP supported ), <b>support dual power input and alarm</b>	134.00	0.00%
IGT-815AT	IP30 Compact size Industrial 100/1000BASE-X SFP to 10/100/1000BASE-T+ Media Converter (-40 to 75 C, LFP Supported)	124.00	0.00%
IGT-900-1T1S	IP30 Industrial 1-Port 10/100/1000T + 1-Port 100/1000/2500X SFP Full Managed Media Converter (-40 to 75 C, dual redundant power input on 9~48VDC terminal block, ERPS Ring, 1588, Modbus TCP, Cybersecurity features, IPv4/IPv6 Static Routing, LFP, supports CloudViewer app and MQTT)	241.00	0.00%
IGT-900-2T2S	IP30 Industrial 2-Port 10/100/1000T + 2-Port 100/1000/2500X SFP Full Managed Media Converter (-40 to 75 C, dual redundant power input on 9~48VDC terminal block, ERPS Ring, 1588, Modbus TCP, Cybersecurity features, IPv4/IPv6 Static Routing, LFP, Port Backup, Link Aggregation, supports CloudViewer app and MQTT)	276.00	0.00%
IGTP-802T	IP30 Industrial 10/100/1000BASE-T to 100/1000BASE-SX Converter with 802.3at PoE+ (Multi-mode, 220m/550m, -40 to 75C, 12V~48V DC power boost)	233.00	0.00%
IGTP-802TS	IP30 Industrial 10/100/1000BASE-T to 100/1000BASE-LX Converter with 802.3at PoE+ (Single mode, 10km, -40 to 75C, 12V~48V DC power boost)	243.00	0.00%
IGTP-805AT	IP30 Industrial 10/100/1000Base-T to Gigabit SFP Converter with 802.3at POE+ (-40 to 75C)	204.00	0.00%
IGTP-815AT	IP30 Compact size Industrial 100/1000BASE-X SFP to 10/100/1000BASE-T 802.3at PoE + Media Converter (-40 to 75 C)	185.00	0.00%
IGTP-825AT	IP67-rated Industrial 1000BASE-X SFP to 10/100/1000T 802.3at PoE+ Media Converter (24~56V power boost, -40~75 degrees C, IK10 impact protection), 3 x waterproof cable glands included	236.00	0.00%
IGUP-805AT	Industrial 1-Port 100/1000X SFP to 1-Port 10/100/1000T 802.3bt PoE++ Media Converter (802.3bt Type-4, PoH, Legacy, Force mode support, -40 to 75 C, dual 12V~56V DC power boost, PoE Usage LED)	305.00	0.00%
IGUP-1205AT	Industrial 2-Port 100/1000X SFP to 1-Port 10/100/1000T 802.3bt PoE++ Media Converter ( 802.3bt Type-4, PoH, Legacy mode support, -40 to 75 C, dual 12V~56V DC power boost, PoE Usage LED)	391.00	0.00%
IGUP-2205AT	Industrial 2-Port 100/1000X SFP to 2-Port 10/100/1000T 802.3bt PoE++ Media Converter (802.3bt Type-4, PoH, Legacy mode support, -40 to 75 C, dual 12V~56V DC power boost, PoE Usage LED)	399.00	0.00%
IIFT-802T	IP30 Slim type Industrial Fast Ethernet Media Converter SC MM (-40 to 75 degree C)	133.00	0.00%
IIFT-802TS15	IP30 Slim type Industrial Fast Ethernet Media Converter SC SM-15KM (-40 to 75 degree C)	148.00	0.00%
IIFT-805AT	IP30 Slim type Industrial Fast Ethernet Media Converter SFP (-40 to 75 degree C)	125.00	0.00%

Sconto Riservato Planet ► 0%

IVC-234GT	IP30 Industrial Gigabit Ethernet Extender w/ G.vectoring, 4-Port 10/100/1000T RJ45 (LAN), 1-Port BNC, 1-Port RJ11 (-40 to 75C). Da alimentare con <b>HDR-30-12</b>	261.00	0.00%
<b>Standard Media Converter 10G</b>			
XT-705A	10G/5G/2.5G/1G/100M Copper to 10GBASE-X SFP+ <b>Unmanaged</b> Media Converter	236.00	0.00%
XT-715A	10GBASE-T to 10GBASE-X SFP+ Media Converter (Copper port supports 2.5G/5G/10Gbps data rate)	168.00	0.00%
XT-905A	1-Port 10G/5G/2.5G/1G/100BASE-T + 1-Port 10G/1GBASE-X SFP+ <b>Managed</b> Media Converter(IPv4/IPv6 Dual stack management, supports TLSv1.2/SSHv2/SNMPv3 Cybersecurity features, LFP, 802.1Q VLAN, ERPS Ring, PLANET CloudViewer app and NMS MQTT)	291.00	0.00%
XT-915A	2-Port 10G/1GBASE-X SFP+ <b>Managed</b> Media Converter(IPv4/IPv6 Dual stack management, supports TLSv1.2/SSHv2/SNMPv3 Cybersecurity features, LFP, 802.1Q VLAN, ERPS Ring, PLANET CloudViewer app and NMS MQTT)	241.00	0.00%
XT-925A	1-Port 10G/5G/2.5G/1G/100BASE-T + 2-Port 10G/1GBASE-X SFP+ <b>Managed</b> Media Converter(IPv4/IPv6 Dual stack management, supports TLSv1.2/SSHv2/SNMPv3 Cybersecurity features, LFP, 802.1Q VLAN, ERPS Ring, PLANET CloudViewer app and NMS MQTT)	310.00	0.00%
<b>Standard Media Converter Chassis (Unmanaged)</b>			
MC-700	7-Slot 10" Media Converter Chassis	272.00	0.00%
MC-1500	15-slot 19" Media Converter Chassis	523.00	0.00%
MC-1500R	15-slot 19" Media Converter Chassis with Redundant Power Option	685.00	0.00%
MC-1500R48	15-slot 19" Media Converter Chassis with Redundant Power Option	662.00	0.00%
MC15-RPS130	130W Redundant Power Supply, 100-240VAC for MC-1500R/48	204.00	0.00%
MC15-RPS48	DC -48V Redundant Power Supply for MC-1500R/48	156.00	0.00%
<b>Standard Gigabit Media Converter</b>			
GT-802	10/100/1000Base-T to 1000Base-SX Gigabit Converter	105.00	0.00%
GT-802S	10/100/1000Base-T to 1000Base-LX Gigabit Converter (Single Mode)	105.00	0.00%
GT-802S40	10/100/1000Base-T to 1000Base-LX Gigabit Converter (SC Single Mode, 40km)	131.00	0.00%
GT-802S60	10/100/1000Base-T to 1000Base-LX Gigabit Converter (SC Single Mode, 60km)	142.00	0.00%
GT-806A15	10/100/1000Base-T to WDM Bi-directional Fiber Converter - 1310nm - 15KM	133.00	0.00%
GT-806B15	10/100/1000Base-T to WDM Bi-directional Fiber Converter - 1550nm - 15KM	144.00	0.00%
GT-806A40	10/100/1000Base-T to 1000Base-BX WDM Bi-directional Fiber Converter - 1310nm - 40KM	151.00	0.00%
GT-806B40	10/100/1000Base-T to 1000Base-BX WDM Bi-directional Fiber Converter - 1550nm - 40KM	161.00	0.00%
GT-806A60	10/100/1000Base-T to WDM Bi-directional Fiber Converter - 1310nm - 60KM	210.00	0.00%
GT-806B60	10/100/1000Base-T to WDM Bi-directional Fiber Converter - 1550nm - 60KM	231.00	0.00%
GT-805A	10/100/1000Base-T to 100/1000Base-X SFP Media Converter	83.00	0.00%
GT-805A-PD	802.3at PoE+ PD 10/100/1000BASE-T to 100/1000BASE-X SFP Media Converter (PoE PD, LFP supported)	108.00	0.00%
GT-1205A	1-Port 10/100/1000Base-T - 2-Port Gigabit SFP Switch/Redundant Media Converter	153.00	0.00%
<b>Standard Fast Ethernet Media Converter</b>			
FT-801	10/100Base-TX to 100Base-FX (ST) Bridge Media Converter, LFPT Supported	81.00	0.00%
FT-802	10/100Base-TX to 100Base-FX (SC) Bridge Media Converter, LFPT Supported	81.00	0.00%
FT-802S15	10/100TX - 100Base-FX (SC) Single Mode Bridge Fiber Converter - 15KM, LFPT	88.00	0.00%
FT-802S35	10/100TX - 100Base-FX (SC) Single Mode Bridge Fiber Converter - 35KM, LFPT	99.00	0.00%
FT-802S50	10/100TX - 100Base-FX (SC) Single Bridge Mode Fiber Converter - 50KM, LFPT	109.00	0.00%
FT-806A20	10/100TX - 100Base-FX (WDM) Bi-directional Fiber Converter - 1310nm - 20KM, LFPT	93.00	0.00%
FT-806B20	10/100TX - 100Base-FX (WDM) Bi-directional Fiber Converter - 1550nm - 20KM, LFPT	93.00	0.00%
<b>Video over Fiber Converter</b>			
VF-101G-KIT	1-Channel 4-in-1 Video over Gigabit Fiber(ST) converter up to 20KM, a pair include Tx & Rx in package (TVI/CVI/AHD/CVBS)	362.00	0.00%
VF-102G-KIT	1-Channel 4-in-1 Video over Gigabit Fiber(FC) converter up to 20KM, a pair include Tx & Rx in package (TVI/CVI/AHD/CVBS)	372.00	0.00%
VF-106G-KIT	1-Channel 4-in-1 Video over Gigabit Fiber(SC WDM) converter up to 20KM, a pair include Tx & Rx in package (TVI/CVI/AHD/CVBS)	382.00	0.00%
VF-402-KIT	4-Channel 4-in-1 Video over Fiber(FC) converter up to 20KM, a pair include Tx & Rx in package (TVI/CVI/AHD/CVBS)	643.00	0.00%
<b>SNMP Manageable Gigabit Ethernet Media Converter</b>			
GT-915A	1-Port 10/100/1000T + 1-Port 100/1000X SFP Managed Media Converter (IPv4/IPv6 Dual stack management, supports TLSv1.2/SSHv2/SNMPv3 Cybersecurity features, TS-1000/802.3ah OAM, LFP, 802.1Q VLAN, PLANET CloudViewer app and NMS MQTT)	151.00	0.00%
<b>Intelligent Media Converter Chassis MANAGED</b>			
MC-1610MR	19" 16-slot SNMP Managed Media Converter Chassis (AC Power) with redundant power option	859.00	0.00%
MC-1610MR48	19" 16-slot SNMP Managed Media Converter Chassis (-48VDC) with redundant power option	807.00	0.00%
MC-RPS130	130W Redundant Power Supply, 100-240VAC for MC-1610MR/48	216.00	0.00%
MC-RPS48	130W Redundant Power Supply, DC -48V for MC-1610MR/48	150.00	0.00%
<b>Web Smart 10G Ethernet Media Converter</b>			
XST-705A	10G/5G/2.5G/1G/100M Copper to 10GBASE-X SFP+ Smart Media Converter	256.00	0.00%
<b>Web Smart Gigabit Ethernet Media Converter</b>			
GST-802	10/100/1000Base-T to 1000Base-SX Smart Gigabit Converter	146.00	0.00%
GST-802S	10/100/1000Base-T to 1000Base-LX Smart Gigabit Converter (Single Mode)	151.00	0.00%
GST-805A	10/100/1000Base-T to Mini-GBIC Smart Gigabit Converter	102.00	0.00%
GST-806A15	10/100/1000Base-T to WDM Bi-directional Smart Fiber Converter - 1310nm - 15KM	146.00	0.00%
GST-806B15	10/100/1000Base-T to WDM Bi-directional Smart Fiber Converter - 1550nm - 15KM	156.00	0.00%
GST-806A60	10/100/1000Base-T to WDM Bi-directional Smart Fiber Converter - 1310nm - 60KM	217.00	0.00%
GST-806B60	10/100/1000Base-T to WDM Bi-directional Smart Fiber Converter - 1550nm - 60KM	227.00	0.00%
<b>Web Smart / Smart Fast Ethernet Media Converter</b>			
FST-801	10/100Base-TX to 100Base-FX (ST) Smart Media Converter	105.00	0.00%
FST-802	10/100Base-TX to 100Base-FX (SC) Smart Media Converter	102.00	0.00%
FST-802S15	10/100Base-TX to 100Base-FX (SC) Smart Media Converter - Single Mode 15KM	116.00	0.00%
FST-802S35	10/100Base-TX to 100Base-FX (SC) Smart Media Converter - Single Mode 35KM	124.00	0.00%
FST-802S50	10/100Base-TX to 100Base-FX (SC) Smart Media Converter - Single Mode 50KM	156.00	0.00%
FST-806A20	10/100Base-TX to 100Base-FX WDM Smart Media Converter - Tx: 1310) - 20KM	121.00	0.00%
FST-806B20	10/100Base-TX to 100Base-FX WDM Smart Media Converter - Tx: 1550) - 20KM	121.00	0.00%
FST-806A60	10/100Base-TX to 100Base-FX WDM Smart Media Converter - Tx: 1310) - 60KM	148.00	0.00%
FST-806B60	10/100Base-TX to 100Base-FX WDM Smart Media Converter - Tx: 1550) - 60KM	143.00	0.00%
<b>PoE Standard Media Converter</b>			
GUP-805A-60W	1-Port 100/1000X SFP to 1-Port 10/100/1000T <b>802.3bt PoE++</b> Media Converter ( <b>60W</b> 802.3bt Type-3/UPoE/Legacy mode support via DIP switch, compact size) -w/external power adapter included	180.00	0.00%

GUP-805A-95W	1-Port 100/1000X SFP to 1-Port 10/100/1000T <b>802.3bt PoE++</b> Media Converter ( <b>95W</b> 802.3bt Type-4/UPoE/Legacy mode support via DIP switch, compact size) -w/external power adapter included	232.00	0.00%
GTP-805A	IEEE802.3af/at PoE 10/100/1000Base-T to MiniGBIC (SFP) Converter	130.00	0.00%
FTP-802	IEEE802.3af PoE 10/100Base-TX to 100Base-FX (SC) Media Converter	119.00	0.00%
FTP-802S15	IEEE802.3af PoE 10/100TX - 100Base-FX (SC) Single Mode Fiber Converter - 15KM	124.00	0.00%
<b>Passive Optical Network (PON) - GPON</b>			
GPL-8000	8-Port GPON OLT with 4-Port Gigabit TP/SFP Combo + 4-Port 1000X SFP + 4-Port 10G SFP+ with optional Redundant Power (ITU-T G.984/G.988, 1024 ONUs, L3 Static Routing, Standard 100-240VAC single Power Supply, dual-AC or AC+DC supported)	2,645.00	0.00%
GPL-PWR75-AC	75-watt AC power supply for XGS-6350-24X4C and GPL-8000 (100V-240VAC)	178.00	0.00%
GPL-PWR75-DC	75-watt DC power supply for XGS-6350-24X4C and GPL-8000 (36V-72VDC)	183.00	0.00%
EPL-SPT-8	GEPON Splitter (1x8 PLC Splitter, Wavelength 1260 - 1650 nm)	55.00	0.00%
EPL-SPT-32	GEPON Splitter (1x32 PLC Splitter, Wavelength 1260 - 1650 nm)	161.00	0.00%
EPL-SPT-64	GEPON Splitter (1x64 PLC Splitter, Wavelength 1260 - 1650 nm)	258.00	0.00%
GPL-GSFP-C+	GPON OLT SFP Transceiver (Class C+, Optical Power: 3dBm-7dBm, Download 2.5G/Upload 1.25G · TX: 1490nm · RX: 1310nm) - 20km	62.00	0.00%
GPL-GSFP-C++	GPON OLT SFP Transceiver (Class C++, Optical Power: 4.5dBm-10dBm, Download 2.5G/Upload 1.25G · TX: 1490nm · RX: 1310nm) - 20km	78.00	0.00%
GPN-100	GPON SFU ONT with 1-Port Gigabit Interface (Download 2.5G/Upload 1.25G)	31.00	0.00%
GPN-400ACV	GPON HGU with 4-Port 10/100/1000T LAN, 1200Mbps 802.11AC Wireless, 2-Port FXS (Download 2.5G/Upload 1.25G, 2x2 MIMO, VLAN, SIP/H.248/T.38 FAX)	97.00	0.00%
<b>Broadband Communication, xDSL Solution</b>			
<b>Ethernet Over VDSL2 Converter, Router</b>			
VC-231	100/100 Mbps Ethernet to VDSL2 Converter - selectable 17a/30a profiles	153.00	0.00%
VC-231G	1-Port 10/100/1000T Ethernet to VDSL2 Converter -30a profile w/ G.vectoring, RJ11	194.00	0.00%
VC-231GP	1-Port 10/100/1000T 802.3at PoE+ Ethernet to VDSL2 Converter – 30a profile w/ G.vectoring, RJ11, 30-watt 802.3at PoE+ PSE	261.00	0.00%
VC-231GF	1-Port 1000X SFP + 1-Port RJ11 VDSL2 Converter -30a profile w/ G.vectoring	179.00	0.00%
VC-232G	1-port 10/100/1000T Ethernet over Coaxial Converter(Downstream:200Mbps;upstream:100Mbps)	199.00	0.00%
VC-234	100/100 Mbps Ethernet (4-Port LAN) to VDSL2 Bridge - 30a profile	174.00	0.00%
VC-234G	4-Port 10/100/1000T Ethernet to VDSL2 Bridge - 30a profile w/ G.vectoring, RJ11	217.00	0.00%
<b>HDMI Over IP / Digital Signage</b>			
IHD-210PT	HDMI Extender Transmitter over IP with PoE - High Definition Digital Signage	293.00	0.00%
IHD-210PR	HDMI Extender Receiver over IP with PoE - High Definition Digital Signage	241.00	0.00%
IHD-410PT	Video Wall Ultra 4K HDMI/USB Extender Transmitter over IP with PoE - Ultra High Definition Digital Signage	538.00	0.00%
IHD-410PR	Video Wall Ultra 4K HDMI/USB Extender Receiver over IP with PoE - Ultra High Definition Digital Signage	521.00	0.00%
<b>Internet / Ethernet Peripherals</b>			
<b>10/100/1000Mbps &amp; 10G Ethernet Adapters</b>			
ENW-9701	PCI Express Gigabit Fiber Optic Ethernet Adapter (SFP)	102.00	0.00%
ENW-9720P	2-Port 10/100/1000T 802.3at PoE+ PCI Express Server Adapter (60W PoE budget, PCIe x4, -10 to 60 C, Intel Ethernet Control)	343.00	0.00%
ENW-9740P	4-Port 10/100/1000T 802.3at PoE+ PCI Express Server Adapter (120W PoE budget, PCIe x4, -10 to 60 C, Intel Ethernet Control)	472.00	0.00%
ENW-9801	Single Port 10G Ethernet Adapter	209.00	0.00%
ENW-9803	10GBase-T PCI Express Server Adapter (RJ45 Copper, 100m, Low-profile)	217.00	0.00%
<b>Ethernet Lighting Arrestor</b>			
ELA-100	Ethernet Lighting Arrestor	50.00	0.00%
<b>SFP Transceivers</b>			
<b>40G QSFP+ Fiber Transceivers</b>			
QSFP-40G-SR4	40GBASE-SR4 QSFP+ Fiber Transceiver (Multimode, MPO, 850nm, DDM Supported) - 100m	146.00	0.00%
QSFP-40G-LR4	40GBASE-LR4 QSFP+ Fiber Transceiver (Single mode, LC, 1310nm, DDM Supported) - 10km	741.00	0.00%
QSFP-100G-SR4	100GBASE-SR4 QSFP28 Fiber Transceiver (Multimode, MPO, 850nm, DDM Supported) - 100m	206.00	0.00%
QSFP-100G-LR4	100GBASE-LR4 QSFP28 Fiber Transceiver (Single mode, LC, 1310nm, DDM Supported) - 10km	1,171.00	0.00%
<b>10000Mbps 10G Ethernet XFP/SFP+ Fiber Transceivers</b>			
MTB-RJ	10GBASE-T SFP+ Copper RJ45 Transceiver	138.00	0.00%
MTB-SR	10G SFP+ Fiber Transceiver (Multi-mode)	37.00	0.00%
MTB-SR2	10G SFP+ Fiber Transceiver ( <b>Single-mode</b> , 1310nm, DDM Supported) - <b>2km</b>	42.00	0.00%
MTB-LR	10G SFP+ Fiber Transceiver ( <b>Single-Mode</b> , 1310nm) - <b>10km</b>	50.00	0.00%
MTB-LR20	10G SFP+ Fiber Transceiver (Single-Mode, 1310nm, DDM Supported) - 20km	64.00	0.00%
MTB-LR40	10G SFP+ Fiber Transceiver (Single-Mode) - 40KM, DDM Supported	94.00	0.00%
MTB-LR60	10G SFP+ Fiber Transceiver (Single-Mode, 1550nm, DDM Supported) - 60km	408.00	0.00%
MTB-LR80	10G SFP+ Fiber Transceiver (Single-Mode, 1550nm, DDM Supported) - 80km	610.00	0.00%
MTB-LA10	10G SFP+ Fiber Transceiver (WDM, TX:1270nm, RX:1330nm, DDM Supported) - 10KM, Single Fiber	69.00	0.00%
MTB-LB10	10G SFP+ Fiber Transceiver (WDM, TX:1330nm, RX:1270nm, DDM Supported) - 10KM, Single Fiber	69.00	0.00%
MTB-LA20	10G SFP+ Fiber Transceiver (WDM, TX:1270nm, RX:1330nm) - 20KM , Single Fiber	74.00	0.00%
MTB-LB20	10G SFP+ Fiber Transceiver (WDM, TX:1330nm, RX:1270nm) - 20KM , Single Fiber	74.00	0.00%
MTB-LA40	10G SFP+ Fiber Transceiver (WDM, TX:1270nm, RX:1330nm) - 40KM , Single Fiber	94.00	0.00%
MTB-LB40	10G SFP+ Fiber Transceiver (WDM, TX:1330nm, RX:1270nm) - 40KM , Single Fiber	94.00	0.00%
MTB-LA60	10G SFP+ Fiber Transceiver (WDM, TX:1270nm, RX:1330nm) - 60KM , Single Fiber	143.00	0.00%
MTB-LB60	10G SFP+ Fiber Transceiver (WDM, TX:1330nm, RX:1270nm) - 60KM , Single Fiber	143.00	0.00%
MTB-LA70	10G SFP+ Fiber Transceiver (WDM, TX:1270nm, RX:1330nm, DDM Supported) - 70KM, Single Fiber	212.00	0.00%
MTB-LB70	10G SFP+ Fiber Transceiver (WDM, TX:1330nm, RX:1270nm, DDM Supported) - 70KM, Single Fiber	212.00	0.00%
MGB-2GLA20	2.5G SFP Transceiver (WDM, TX:1310nm RX:1550nm, DDM) - 20km	95.00	0.00%
MGB-2GLB20	2.5G SFP Transceiver (WDM, TX:1550nm RX:1310nm, DDM) - 20km	95.00	0.00%
MGB-2GLR2	2.5G SFP Transceiver (Single mode, 1310nm, DDM) – 2km	57.00	0.00%
MGB-2GLR20	2.5G SFP Transceiver (Single mode, 1310nm, DDM) – 20km	82.00	0.00%
MGB-2GSR	2.5G SFP Transceiver (Multi-mode, 850nm, DDM) - 300m	51.00	0.00%
<b>1000Mbps Gigabit Ethernet SFP Fiber Transceivers</b>			
MGB-GT	Mini GBIC TP Module (Copper), Distance 100 MT	57.00	0.00%
MGB-SX	Mini GBIC SX Module (Multi-mode, 550m, 850nm), DDM Supported	27.00	0.00%
MGB-SX2	Mini GBIC SX Module (Multi-mode, 2km, 1310nm), DDM Supported	29.00	0.00%
MGB-LX	Mini GBIC LX Module (Single-Mode, 20 KM), DDM Supported	29.00	0.00%
MGB-L40	Mini GBIC Single Mode LX Module - 40KM, DDM Supported	46.00	0.00%

Sconto Riservato Planet ▶ 0%

MGB-L80	Mini GBIC Single Mode LX Module - 80KM, DDM Supported	88.00	0.00%
MGB-L120	Mini GBIC LX Module - 120KM, DDM Supported	151.00	0.00%
MGB-LA10	Mini GBIC WDM TX1310 Module - 10KM ,DDM Supported, Single Fiber	32.00	0.00%
MGB-LB10	Mini GBIC WDM TX1550 Module - 10KM, DDM Supported, Single Fiber	34.00	0.00%
MGB-LA20	Mini GBIC WDM TX1310 Module - 20KM, DDM Supported, Single Fiber	33.00	0.00%
MGB-LB20	Mini GBIC WDM TX1550 Module - 20KM ,DDM Supported, Single Fiber	37.00	0.00%
MGB-LA40	Mini GBIC WDM TX1310 Module - 40KM, DDM Supported, Single Fiber	86.00	0.00%
MGB-LB40	Mini GBIC WDM TX1550 Module - 40KM, DDM Supported, Single Fiber	89.00	0.00%
MGB-LA80	Mini GBIC WDM TX1490 Module - 80KM, DDM Supported, Single Fiber	121.00	0.00%
MGB-LB80	Mini GBIC WDM TX1550 Module - 80KM, DDM Supported, Single Fiber	121.00	0.00%
<b>100Mbps Fast Ethernet SFP Fiber Transceivers</b>			
MFB-FX	Multi-mode 100Mbps SFP fiber transceiver (Multi-mode)(2KM), DDM Supported	30.00	0.00%
MFB-F20	Single Mode 20KM, 100Mbps SFP fiber transceiver, DDM Supported	33.00	0.00%
MFB-F40	Single Mode 40KM, 100Mbps SFP fiber transceiver, DDM Supported	40.00	0.00%
MFB-F60	Single Mode 60KM, 100Mbps SFP fiber transceiver, DDM Supported	54.00	0.00%
MFB-F120	Single Mode 120KM, 100Mbps SFP fiber transceiver, DDM Supported	105.00	0.00%
MFB-FA20	WDM Tx-1310, 20KM, 100Mbps SFP fiber transceiver , DDM Supported, Single Fiber	35.00	0.00%
MFB-FB20	WDM Tx-1550, 20KM, 100Mbps SFP fiber transceiver , DDM Supported, Single Fiber	36.00	0.00%
<b>Industrial (extended temperature) SFP Fiber Transceiver for Industrial Devices</b>			
MTB-TSR	10G SFP+ Fiber Transceiver (Multi-mode, DDM, -40~75 degrees C) -300M	59.00	0.00%
MTB-TSR2	10G SFP+ Fiber Transceiver (Single-mode, 1310nm, DDM Supported) - 2km (-40 to 75 C)	70.00	0.00%
MTB-TLR	10G SFP+ Fiber Transceiver (Single-mode, DDM, -40~75 degrees C) -10KM	74.00	0.00%
MTB-TLR20	10G SFP+ Fiber Transceiver (Single-Mode, 1310nm, DDM Supported) - 20km (-40 to 75 C)	85.00	0.00%
MTB-TLR40	10G SFP+ Fiber Transceiver (Single-Mode) - 40KM, DDM Supported (-40-75 C)	115.00	0.00%
MTB-TLR60	10G SFP+ Fiber Transceiver (Single-Mode, 1550nm, DDM Supported) - 60km (-40 to 75 C)	459.00	0.00%
MTB-TLR80	10G SFP+ Fiber Transceiver (Single-Mode, 1550nm, DDM Supported) - 80km (-40 to 75 C)	601.00	0.00%
MTB-TLA20	10G SFP+ Fiber Transceiver (WDM, TX:1270nm, RX:1330nm) - 20KM, DDM Supported (-40 to 75 C)	100.00	0.00%
MTB-TLB20	10G SFP+ Fiber Transceiver (WDM, TX:1330nm, RX:1270nm) - 20KM, DDM Supported (-40 to 75 C)	100.00	0.00%
MTB-TLA40	10G SFP+ Fiber Transceiver (WDM, TX:1270nm, RX:1330nm, DDM Supported) - 40KM (-40 to 75 C)	118.00	0.00%
MTB-TLB40	10G SFP+ Fiber Transceiver (WDM, TX:1330nm, RX:1270nm, DDM Supported) - 40KM (-40 to 75 C)	118.00	0.00%
MTB-TLA60	10G SFP+ Fiber Transceiver (WDM, TX:1270nm, RX:1330nm, DDM Supported) - 60KM (-40 to 75 C)	199.00	0.00%
MTB-TLB60	10G SFP+ Fiber Transceiver (WDM, TX:1330nm, RX:1270nm, DDM Supported) - 60KM (-40 to 75 C)	199.00	0.00%
MGB-2GTSR	2.5G SFP Transceiver (Multi-mode, 850nm, DDM, -40~75°C) - 300m	69.00	0.00%
MGB-2GTLR2	2.5G SFP Transceiver (Single mode, 1310nm, DDM, -40~75°C) - 2km	72.00	0.00%
MGB-2GTLR20	2.5G SFP Transceiver (Single mode, 1310nm, DDM, -40~75°C) - 20km	90.00	0.00%
MGB-2GTLA20	2.5G SFP Transceiver (WDM, TX:1310nm RX:1550nm, DDM, -40~75°C) - 20km	107.00	0.00%
MGB-2GTLB20	2.5G SFP Transceiver (WDM, TX:1550nm RX:1310nm, DDM, -40~75°C) - 20km	107.00	0.00%
MGB SERIE WEB LINK			0.00%
MGB-TGT	Mini GBIC TP Module -100m (-40 to 75 C)	57.00	0.00%
MGB-TSX	Mini GBIC SX Module (Multi-mode, 550m, 850nm),(-40 to 75 C), DDM Supported	33.00	0.00%
MGB-TSX2	Mini GBIC SX Multi-mode (Multi-mode, 2km, 1310nm) (-40 to 75 C), DDM Supported	40.00	0.00%
MGB-TLX	Mini GBIC LX Module (Single Mode , 20 KM) (-40 to 75 C), DDM Supported	36.00	0.00%
MGB-TL40	Mini GBIC Single Mode LX Module - 40KM, DDM Supported (-40 to 75 C)	52.00	0.00%
MGB-TL80	Mini GBIC Single Mode LX Module - 80KM, DDM Supported (-40 to 75 C)	88.00	0.00%
MGB-TLA10	Mini GBIC WDM TX1310 Module - 10KM (-40 to 75C), DDM Supported, Single Fiber	54.00	0.00%
MGB-TLB10	Mini GBIC WDM TX1550 Module - 10KM (-40 to 75C), DDM Supported, Single Fiber	54.00	0.00%
MGB-TLA20	Mini GBIC WDM TX1310 Module - 20KM (-40 to 75C), DDM Supported, Single Fiber	62.00	0.00%
MGB-TLB20	Mini GBIC WDM TX1550 Module - 20KM (-40 to 75C), DDM Supported, Single Fiber	62.00	0.00%
MGB-TLA40	Mini GBIC WDM TX1310 Module - 40KM (-40 to 75C), DDM Supported, Single Fiber	97.00	0.00%
MGB-TLB40	Mini GBIC WDM TX1550 Module - 40KM (-40 to 75C), DDM Supported, Single Fiber	97.00	0.00%
MGB-TLA80	Mini GBIC WDM TX1490 Module - 80KM, DDM Supported(-40 to 75 C)	123.00	0.00%
MGB-TLB80	Mini GBIC WDM TX1550 Module - 80KM, DDM Supported(-40 to 75 C)	123.00	0.00%
MGB-TLA120	Mini GBIC WDM TX1490 Module - 120KM, DDM Supported(-40 to 75 C)	174.00	0.00%
MGB-TLB120	Mini GBIC WDM TX1550 Module - 120KM, DDM Supported(-40 to 75 C)	174.00	0.00%
MGB-TSA	Mini GBIC Multi-mode WDM Tx-1310, 2KM, 1000Mbps SFP fiber transceiver (-40 to 75C), DDM supported	46.00	0.00%
MGB-TSB	Mini GBIC Multi-mode WDM Tx-1550, 2KM, 1000Mbps SFP fiber transceiver (-40 to 75C) , DDM supported	46.00	0.00%
MFB-TFX	100Mbps SFP fiber transceiver (Multi-mode) (2KM) (-40 to 75 C)	38.00	0.00%
MFB-TF20	20KM, 100Mbps SFP fiber transceiver - (-40 to 75 C)	42.00	0.00%
MFB-TFA20	WDM Tx-1310, 20KM, 100Mbps SFP fiber transceiver (-40 to 75C), Single Fiber, DDM Supported	42.00	0.00%
MFB-TFB20	WDM Tx-1550, 20KM, 100Mbps SFP fiber transceiver (-40 to 75C), Single Fiber, DDM Supported	45.00	0.00%
MFB-TFA40	WDM Tx-1310, 40KM, 100Mbps SFP fiber transceiver (-40 to 75C), Single Fiber, DDM Supported	50.00	0.00%
MFB-TFB40	WDM Tx-1550, 40KM, 100Mbps SFP fiber transceiver (-40 to 75C), Single Fiber, DDM Supported	56.00	0.00%
MFB-TFA60	WDM Tx-1310, 60KM, 100Mbps SFP fiber transceiver (-40 to 75C) , DDM Supported, Single Fiber	72.00	0.00%
MFB-TFB60	WDM Tx-1550, 60KM, 100Mbps SFP fiber transceiver (-40 to 75C) , DDM Supported, Single Fiber	78.00	0.00%
MFB-TSA	Multi-mode WDM Tx-1310, 2KM, 100Mbps SFP fiber transceiver (-40 to 75C), DDM supported	64.00	0.00%
MFB-TSB	Multi-mode WDM Tx-1550, 2KM, 100Mbps SFP fiber transceiver (-40 to 75C) , DDM supported	67.00	0.00%
<b>INDUSTRIAL 4G LTE CELLULAR GATEWAY ROUTER</b>			
ICG-2210W-NR	Industrial 5G NR <b>Compact</b> Cellular Wireless Gateway with 2-Port 10/100/1000T (Sub-6 5G NR EAU, 2 SIM card slots, 802.11ac WiFi, 2.4GHz and 5GHz Dual Band concurrent, 1 RS232/RS485, DC 9~36V, -40~75 degrees C, SIM/UiM card interface w/built-in 15KV ESD protection, Dual-WAN Failover, IPSec/PPTP/L2TP VPN, SPI Firewall, SNMP, Region: Asia, Europe, Australia)	1,010.00	0.00%
FWA-2100-NR-EU	IP68-rated Industrial 5G NR Outdoor Unit with 1-port Gigabit PoE PD (Sub-6 5G NR EAU, 2 SIM card slots, 802.11n 2.4GHz, 802.3at PoE PD and DC 12V, -20~60 degrees C, High Availability, OpenVPN and IPSec/GRE/PPTP/L2TP VPN, SPI Firewall, IPv6, SNMP, PLANET Easy-DDNS, AP Controller, Captive Portal, RADIUS, supports NMS-500/NMS-1000V controller and CloudViewerPro app, Region: Asia, Europe, Australia)	849.00	0.00%
ICG-2510W-LTE-EU	Industrial 4G LTE Cellular Wireless Gateway with 5-Port 10/100/1000T (2 Module SIM Card Slots, 802.11ac Dual Band, 1 RS232/RS485, DI/DO, -35~75 degrees C, LTE Band B1/B3/B5/B7/B8/B20)	612.00	0.00%
ICG-2510WG-LTE-EU	Industrial 4G LTE Cellular Wireless Gateway with 5-Port 10/100/1000T (2 Module SIM Card Slots, 802.11ac Dual Band, GPS, 1 RS232/RS485, DI/DO, -35~75 degrees C, LTE Band B1/B3/B5/B7/B8/B20)	770.00	0.00%
VCG-1500WG-LTE-EU	Vehicle 4G LTE Cellular Wireless Gateway with 5-Port 10/100TX (1-SIM Card Slot, 802.11n, GPS, -25~65 degrees C, LTE Band B1/B3/B5/B7/B8/B20/B38/B40/B41)	502.00	0.00%

ICG-2515-NR	Industrial 5G NR Cellular Gateway with 5-Port 10/100/1000T (Sub-6 5G NR Global Band, compatible with 4G LTE, 2 SIM Card Slots, 2 DI/DO, Dual DC 9~54V, -40~75 degrees C, Dual-WAN Failover and Load Balancing, High Availability, SSL VPN and robust hybrid VPN (IPSec/GRE/PPTP/L2TP), SPI Firewall, DoS Attack Prevention, Cyber Security, IPv6, SNMP, PLANET Easy-DDNS, AP Controller, Captive Portal, RADIUS)	1,133.00	0.00%
ICG-2515F-NR	Industrial 5G NR Cellular Gateway with 1-Port 1000X SFP (Sub-6 5G NR Global Band, compatible with 4G LTE, 2 SIM Card Slots, 4 10/100/1000T, 2 DI/DO, Dual DC 9~54V, -40~75 degrees C, SD-WAN automatically establishes a secure mesh VPN, Dual-WAN Failover and Load Balancing, High Availability, SSL VPN and robust hybrid VPN (IPSec/GRE/PPTP/L2TP), SPI Firewall, DoS Attack Prevention, Cyber Security, IPv6, SNMP, PLANET Easy-DDNS, AP Controller, Captive Portal, RADIUS)	1,389.00	0.00%
ICG-2515W-NR	Industrial 5G NR Cellular Wireless Gateway with 5-Port 10/100/1000T (Sub-6 5G NR Global Band, compatible with 4G LTE, 2 SIM Card Slots, 802.11ax 1800Mbps, 2.4GHz and 5GHz Dual Band concurrent, 2 DI/DO, Dual DC 9~54V, -40~75 degrees C, Dual-WAN Failover and Load Balancing, High Availability, SSL VPN and robust hybrid VPN (IPSec/GRE/PPTP/L2TP), SPI Firewall, DoS Attack Prevention, Cyber Security, IPv6, SNMP, PLANET Easy-DDNS, AP Controller, Captive Portal, RADIUS)	1,417.00	0.00%
ICG-2515FW-NR	Industrial 5G NR Cellular Wireless Gateway with 1-Port 1000X SFP (Sub-6 5G NR Global Band, compatible with 4G LTE, 2 SIM Card Slots, 802.11ax 1800Mbps, 2.4GHz and 5GHz Dual Band concurrent, 4 10/100/1000T, 2 DI/DO, Dual DC 9~54V, -40~75 degrees C, SD-WAN automatically establishes a secure mesh VPN, Dual-WAN Failover and Load Balancing, High Availability, SSL VPN and robust hybrid VPN (IPSec/GRE/PPTP/L2TP), SPI Firewall, DoS Attack Prevention, Cyber Security, IPv6, SNMP, PLANET Easy-DDNS, AP Controller, Captive Portal, RADIUS, Modus TCP)	1,493.00	0.00%
<b>Industrial VPN Security Router</b>			
IVR-100	Industrial 5-Port 10/100/1000T VPN Security Gateway: Dual-WAN Failover and Load Balancing, Cyber Security, SPI Firewall, Content Filtering, DoS Attack Prevention, Port Range Forwarding, SSL VPN and robust hybrid VPN (IPSec/GRE/PPTP/L2TP), IPv6, SNMP, QoS, VLAN, IGMP, PLANET Easy-DDNS, w/ 9~48V Redundant Power	310.00	0.00%
IVR-300	Industrial 5-Port 10/100/1000T VPN Security Gateway (2 DI/DO, 1 RS485, Dual DC 9~54V, -40~75 degrees C, SD-WAN automatically establishes a secure mesh VPN, Dual-WAN Failover and Load Balancing, High Availability, SSL VPN and robust hybrid VPN (IPSec/GRE/PPTP/L2TP), SPI Firewall, DoS Attack Prevention, Cyber Security, IPv6, SNMP, AP Controller, Captive Portal, RADIUS, Modus TCP, supports PLANET Easy-DDNS, CloudViewer app and MQTT)	635.00	0.00%
IVR-300W	Industrial Wi-Fi 6 802.11ax 1800Mbps Dual Band Wireless VPN Gateway with 5-Port 10/100/1000T (2.4GHz and 5GHz Dual Band concurrent, 2 DI/DO, 1 RS485, Dual DC 9~54V, -40~75 degrees C, SD-WAN automatically establishes a secure mesh VPN, Dual-WAN Failover and Load Balancing, High Availability, SSL VPN and robust hybrid VPN (IPSec/GRE/PPTP/L2TP), SPI Firewall, DoS Attack Prevention, Cyber Security, IPv6, SNMP, AP Controller, Captive Portal, RADIUS, Modus TCP, supports PLANET Easy-DDNS, CloudViewer app and MQTT)	787.00	0.00%
<b>LoRa WAN IOT Gateway</b>			
LCG-300-EU	IP30 Industrial IoT LoRaWAN Gateway with 5-Port 10/100/1000T - EU868 MHz. (Supports The Things Network & AWS network server, 2 DI/DO, Modbus TCP, -40~75 degrees C, Dual-WAN Failover and Load Balancing, SSL VPN and robust hybrid VPN (IPSec/GRE/PPTP/L2TP), SPI Firewall, DoS Attack Prevention, Cyber Security, IPv6, SNMP, PLANET Easy-DDNS, RADIUS, MQTT)	1,000.00	0.00%
LCG-300W-EU	IP30 Industrial IoT LoRaWAN Wireless Gateway with 5-Port 10/100/1000T - EU868 MHz (Supports The Things Network & AWS network server, 802.11ax 1800Mbps, 2.4GHz and 5GHz Dual Band concurrent, 2 DI/DO, Modbus TCP, -40~75 degrees C, Dual-WAN Failover and Load Balancing, SSL VPN and robust hybrid VPN (IPSec/GRE/PPTP/L2TP), SPI Firewall, DoS Attack Prevention, Cyber Security, IPv6, SNMP, PLANET Easy-DDNS, RADIUS, MQTT)	1,075.00	0.00%
LCG-300-NR-EU	IP30 Industrial IoT LoRaWAN + 5G NR Cellular Gateway with 5-Port 10/100/1000T - EU868 MHz. (Supports The Things Network & AWS network server, Sub-6 5G NR Global Band, compatible with 4G LTE, 1 SIM Card Slot, Modbus RS485 bridge LoRaWAN, Modbus TCP, 2 DI/DO, -40~75 degrees C, Dual-WAN Failover and Load Balancing, SSL VPN and robust hybrid VPN (IPSec/GRE/PPTP/L2TP), SPI Firewall, Cyber Security, IPv6, SNMP, PLANET Easy-DDNS, RADIUS, MQTT)	1,821.00	0.00%
LN1152-868M	Indoor IP30 LoRa Node Controller - EU868 MHz. (RS232, RS485, DI, Relay, and Analog Input)	230.00	0.00%
LN1152-915M	Indoor IP30 LoRa Node Controller - US915 MHz. (RS232, RS485, DI, Relay, and Analog Input)	230.00	0.00%
LN501-868M	Outdoor IP67 LoRa Node Controller - EU868 MHz. (RS332, RS485, GPIO and Analog Input, Rechargeable, 2 x 2550 mAh battery with solar panel, external DC 5-24V input)	356.00	0.00%
LN501-915M	Outdoor IP67 LoRa Node Controller - US915 MHz. (RS332, RS485, GPIO and Analog Input, Rechargeable, 2 x 2550 mAh battery with solar panel, external DC 5-24V input)	356.00	0.00%
<b>Wireless LAN</b>			
<b>Wireless AP Controller, Wireless AP Managed Switch</b>			
WS-2864PVR	Wireless AP Managed Switch with 24-Port 10/100/1000T 802.3at PoE + 4-Port 10G SFP+ + LCD Touch Screen and 48VDC Redundant Power (400W PoE Budget, ERPS Ring, ONVIF, Cybersecurity features, Hardware Layer3 OSPFv2 and IPv4/IPv6 Static Routing)	1,699.00	0.00%
WS-1032P	Wireless AP Managed Switch with 8-Port 10/100/1000T 802.3at PoE + 2-Port 10G SFP+ (120W PoE Budget, 200m Extend mode, AP Grouping, batch provisioning, floor map, ERPS Ring, CloudViewer app, MQTT, Cybersecurity features, Hardware Layer 3 RIPv1/v2, OSPFv2/v3 dynamic routing, supports 1G, 2.5G SFP and 10G SFP+)	699.00	0.00%
<b>802.11ac AP / Router / Adapters / Extender</b>			
WDAP-C7210E	1200Mbps 802.11ac Wave 2 Dual Band Ceiling-mount Wireless Access Point, 802.3at PoE PD, 2 10/100/1000T LAN, 802.1Q VLAN, supports NMS-500/NMS-1000V controller	108.00	0.00%
WDAP-C3000AX	Wi-Fi 6 3000Mbps 802.11ax Dual Band Ceiling-mount Wireless Access Point, 802.3at PoE PD, 2 10/100/1000T LAN, 802.1Q VLAN, supports NMS-500/NMS-1000V controller, CloudViewerPro app, MQTT, Captive Portal, RADIUS and cybersecurity features, AP/Gateway/Repeater/WISP modes, supports EasyMesh and roaming)	148.00	0.00%
WDAP-W1200E	1200Mbps 802.11ac Wave 2 Dual Band <b>In-wall</b> Wireless Access Point, 802.3at PoE PD, 3 10/100/1000T LAN, 1 RJ11, 802.1Q VLAN, supports NMS-500/NMS-1000V controller (EU Type)	87.00	0.00%
WDAP-W1800AXU	Wi-Fi 6 1800Mbps 802.11ax Dual Band <b>In-wall</b> Wireless Access Point, 802.3at PoE PD, one 10/100/1000T LAN/WAN port, one Type-C USB port, EU Type (802.1Q VLAN, Captive Portal, RADIUS and cybersecurity features, AP/Gateway/Repeater modes, supports NMS-500/NMS-1000V controller and CloudViewer app)	90.00	0.00%
WDRT-1800AX	Wi-Fi 6 11AX 1800Mbps Dual-Band Wireless Gigabit <b>Router</b> (IPv4/IPv6, 4x7dBi antenna, 4x10/100/1000 LAN, WPA3, EasyMesh, supports Router/Bridge/Relay/WISP mode)	113.00	0.00%
<b>All-around Outdoor Wireless Access Points and CPEs</b>			
<b>IPv4/IPv6 / 802.1Q VLAN / Spanning Tree / Multi-SSID / Guest Network / Multi-operation mode / Isolation / Schedule Reboot / Speed Test / Statistic / SNMPv3 / SSH / SSL / SMTP</b>			
WBS-512AC	IP55 802.11ac, 5GHz 900Mbps Outdoor Wireless CPE (11ac WAVE 2, MU-MIMO, Built-in 14dBi antenna, 802.3at PoE, 802.1Q VLAN, One-click WDS, supports NMS-500/NMS-1000V and WAPC AP controller)	158.00	0.00%
WDAP-3000AX	IP67 Wi-Fi 6 802.11ax, Dual Band 3000Mbps Outdoor Wireless AP (802.3at PoE+ PD, 4 x N-Type connector, 20KV surge protection, -40 to 70C, 802.1Q VLAN, supports NMS-500/NMS-1000V controller, CloudViewerPro app, MQTT, Captive Portal, RADIUS and cybersecurity features, AP/Gateway/Repeater/WISP modes, supports 802.11s Mesh and roaming)	361.00	0.00%
WDAP-850AC	IP67 802.11ac Wave 2, Dual Band 1200Mbps Outdoor Wireless AP (802.3at PoE+, 4 x N-Type connector, 20KV surge protection, -40 to 75C, 802.1Q VLAN, supports NMS-500/NMS-1000V controller)	335.00	0.00%
WDAP-1800AX	IP67 Wi-Fi 6 802.11ax, Dual Band 1800Mbps Outdoor Wireless AP (802.3at PoE+ PD, 4 x N-Type connector, 20KV surge protection, -40 to 70C, 802.1Q VLAN, supports NMS-500/NMS-1000V controller, CloudViewer app, MQTT, Captive Portal, RADIUS and cybersecurity features, AP/Gateway/Repeater modes)	338.00	0.00%

WBS-900AC-KIT	IP65 802.11ac 5GHz 900Mbps TDMA Outdoor Long Range Wireless CPE Kit (11ac WAVE 2, TDMA MU-MIMO, including 2 x 29dBi dish antenna, One-click PtP(Master/Slave), Max. 20Km@100Mbps, 2 x 10/100/1000T RJ45, 802.3at PoE PD, VLAN transparent, -40 to 75C)	982.00	0.00%
<b>Industrial WiFi 6 Access Point</b>			
IAP-1800AX	IP30 Industrial Wi-Fi 6 802.11ax 1800Mbps Dual Band Wireless AP with 5-Port 10/100/1000T (2 x 5dBi antenna, 2 DI/DO, Dual DC 9-54V, -40 to 75C, 802.1Q VLAN, Captive Portal, RADIUS and cybersecurity features, AP/Gateway/Repeater modes, supports NMS-500/NMS-1000V controller and CloudViewer app DIN-rail or wall-mount installation)	691.00	0.00%
IAP-2400AX	IP30 Industrial Wi-Fi 6 802.11ax 2400Mbps 5GHz Wireless AP with 5-Port 10/100/1000T (4 x 5dBi antenna, 2 DI/DO, Dual DC 9-54V, -40 to 75C, 802.1Q VLAN, Captive Portal, RADIUS and cybersecurity features, AP/Gateway/Repeater modes, supports NMS-500/NMS-1000V controller, CloudViewer app and MQTT, DIN-rail or wall-mount installation)	763.00	0.00%
<b>Wireless Antenna &amp; Cable Accessories</b>			
ANT-FP18	18dBi Flat Panel Directional Antenna	124.00	0.00%
ANT-FP18A	5GHz 18dBi Flat Panel Directional Antenna (11a)	130.00	0.00%
ANT-FP14D	2x2 MIMO 2.4GHz 14dBi Flat Panel Dual Polarization Directional Antenna (N-Type female connector x 2)	89.00	0.00%
ANT-FP14AD	2x2 MIMO 5GHz 14dBi Flat Panel Dual Polarization Directional Antenna (N-Type female connector x 2)	95.00	0.00%
ANT-SE17AD	2x2 MIMO 5GHz 17dBi Sector Antenna (Dual-Polarity, 90 degrees, N-type female connector x 2)	251.00	0.00%
ANT-OM15	2.4GHz 15dBi Omni Directional Antenna / Outdoor / Fiberglass / N-type female / 11b/g/n	251.00	0.00%
ANT-OM5D-KIT	2.4GHz 4.5dBi / 5GHz 7dBi Dual Band Omni Directional Antenna Kit / Outdoor / ABS / N-Type male 11a/b/g/n/ac, 2 pieces	41.00	0.00%
ANT-OM8	2.4GHz 8dBi Omni Directional Antenna / Outdoor / Fiberglass / N-type female / 11b/g/n	74.00	0.00%
ANT-OM10A	5GHz 10dBi Omni Directional Antenna / Outdoor / Fiberglass / N-type female / 11a, 11a/n, 11ac	124.00	0.00%
WL-LTNA	Lightning Arrester (2.4 - 6.0GHz)	36.00	0.00%
WL-NM-0.6	0.6 Meter N(male) to N(male) Cable	23.00	0.00%
<b>Network Security</b>			
<b>VPN/Firewall, Multi-Homing Security Router, Content Security, UTM</b>			
VR-100	5-Port 10/100/1000T VPN Security Router (Dual-WAN Failover and Load Balancing, Cyber Security, SPI Firewall, IPv4/IPv6 Filtering, Content Filtering, DoS Attack Prevention, Port Range Forwarding, SSL VPN and robust hybrid VPN (IPSec/GRE/PPTP/L2TP), IPv6, SNMP, PLANET Easy-DDNS, supports CloudViewer app and MQTT, Captive Portal,	256.00	0.00%
VR-300	Enterprise 5-Port 10/100/1000T VPN Security Router (Dual-WAN Failover and Load Balancing, Cyber Security, SPI Firewall, IPv4/IPv6 Filtering, Content Filtering, DoS Attack Prevention, Port Range Forwarding, SSL VPN and robust hybrid VPN (IPSec/GRE/PPTP/L2TP), IPv6, SNMP, PLANET Easy-DDNS, High Availability, AP Controller, Captive Portal, RADIUS)	391.00	0.00%
VR-300F	Enterprise 1-Port 1000X SFP + 4-Port 10/100/1000T VPN Security Router (Dual-WAN Failover and Load Balancing, Cyber Security, SPI Firewall, IPv4/IPv6 Filtering, Content Filtering, DoS Attack Prevention, Port Range Forwarding, SSL VPN and robust hybrid VPN (IPSec/GRE/PPTP/L2TP), IPv6, SNMP, PLANET Easy-DDNS, High Availability, AP Controller, Captive Portal, RADIUS, SFP DDM)	420.00	0.00%
VR-300W5	Wi-Fi 5 AC1200 Dual Band VPN Security Router (1200Mbps 802.11ac Wave 2, 2.4GHz and 5GHz Dual Band concurrent, 5-Port 10/100/1000T, Dual-WAN Failover and Load Balancing, Cyber Security, SPI Firewall, IPv4/IPv6 Filtering, Content Filtering, DoS Attack Prevention, SSL VPN and robust hybrid VPN (IPSec/GRE/PPTP/L2TP), IPv6, SNMP, PLANET Easy-DDNS, High Availability, AP Controller, Captive Portal, RADIUS)	472.00	0.00%
VR-300W6	Wi-Fi 6 AX1800 Dual Band VPN Security Router (1800Mbps 802.11ax, 2.4GHz and 5GHz Dual Band concurrent, 5-Port 10/100/1000T, Dual-WAN Failover and Load Balancing, Cyber Security, SPI Firewall, IPv4/IPv6 Filtering, Content Filtering, DoS Attack Prevention, SSL VPN and robust hybrid VPN (IPSec/GRE/PPTP/L2TP), IPv6, SNMP, PLANET Easy-DDNS, High Availability, AP Controller, Captive Portal, RADIUS)	610.00	0.00%
VR-300W6A	Wi-Fi 6 AX2400 2.4GHz/5GHz VPN Security Router (2400Mbps 802.11ax, 5-Port 10/100/1000T, Dual-WAN Failover and Load Balancing, Cyber Security, SPI Firewall, IPv4/IPv6 Filtering, Content Filtering, DoS Attack Prevention, SSL VPN and robust hybrid VPN (IPSec/GRE/PPTP/L2TP), IPv6, SNMP, PLANET Easy-DDNS, High Availability, AP Controller, Captive Portal, RADIUS)	610.00	0.00%
VR-300FW-NR	5G NR Cellular + Wi-Fi 6 AX1800 Dual Band + 1-Port 1000X SFP VPN Security Router (Sub-6 5G NR Global Band, compatible with 4G LTE, 1 SIM Card Slot, 1800Mbps 802.11ax, 2.4GHz and 5GHz Dual Band concurrent, 5-Port 10/100/1000T, Dual-WAN Failover and Load Balancing, Cyber Security, SPI Firewall, IPv4/IPv6 Filtering, Content Filtering, DoS Attack Prevention, SSL VPN and robust hybrid VPN (IPSec/GRE/PPTP/L2TP), IPv6, SNMP, PLANET Easy-DDNS, High Availability, AP Controller, Captive Portal, RADIUS, SD-WAN, SFP DDM, supports CloudViewer app and MQTT)	1,421.00	0.00%
VR-300P	Enterprise 4-Port 10/100/1000T 802.3at PoE + 1-Port 10/100/1000T VPN Security Router (Dual-WAN Failover and Load Balancing, Cyber Security, SPI Firewall, IPv4/IPv6 Filtering, Content Filtering, DoS Attack Prevention, Port Range Forwarding, SSL VPN and robust hybrid VPN (IPSec/GRE/PPTP/L2TP), IPv6, SNMP, PLANET Easy-DDNS, High Availability, AP Controller, Captive Portal, RADIUS, IEEE 802.3at PoE+ with PD alive check/schedule management, 120W PoE budget)	464.00	0.00%
VR-300FP	Enterprise 1-Port 1000X SFP + 4-Port 10/100/1000T 802.3at PoE VPN Security Router (Dual-WAN Failover and Load Balancing, Cyber Security, SPI Firewall, IPv4/IPv6 Filtering, Content Filtering, DoS Attack Prevention, Port Range Forwarding, SSL VPN and robust hybrid VPN (IPSec/GRE/PPTP/L2TP), IPv6, SNMP, PLANET Easy-DDNS, High Availability, AP Controller, Captive Portal, RADIUS, SFP DDM, IEEE 802.3at PoE+ with PD alive check/schedule management, 120W PoE budget)	554.00	0.00%
VR-300PW5	Wi-Fi 5 AC1200 Dual Band VPN Security Router with 4-Port 802.3at PoE+ (1200Mbps 802.11ac Wave 2, 2.4GHz and 5GHz Dual Band concurrent, 5-Port 10/100/1000T, 120W PoE Budget, Dual-WAN Failover and Load Balancing, Cyber Security, SPI Firewall, IPv4/IPv6 Filtering, Content Filtering, DoS Attack Prevention, SSL VPN and robust hybrid VPN (IPSec/GRE/PPTP/L2TP), IPv6, SNMP, PLANET Easy-DDNS, High Availability, AP Controller, Captive Portal, RADIUS)	613.00	0.00%
VR-300PW6	Wi-Fi 6 AX1800 Dual Band VPN Security Router with 4-Port 802.3at PoE+ (1800Mbps 802.11ax, 2.4GHz and 5GHz Dual Band concurrent, 5-Port 10/100/1000T, 120W PoE Budget, Dual-WAN Failover and Load Balancing, Cyber Security, SPI Firewall, IPv4/IPv6 Filtering, Content Filtering, DoS Attack Prevention, SSL VPN and robust hybrid VPN (IPSec/GRE/PPTP/L2TP), IPv6, SNMP, PLANET Easy-DDNS, High Availability, AP Controller, Captive Portal, RADIUS)	654.00	0.00%
VR-300PW6A	Wi-Fi 6 AX2400 2.4GHz/5GHz VPN Security Router with 4-Port 802.3at PoE+ (2400Mbps 802.11ax, 5-Port 10/100/1000T, 120W PoE Budget, Dual-WAN Failover and Load Balancing, Cyber Security, SPI Firewall, IPv4/IPv6 Filtering, Content Filtering, DoS Attack Prevention, SSL VPN and robust hybrid VPN (IPSec/GRE/PPTP/L2TP), IPv6, SNMP, PLANET Easy-DDNS, High Availability, AP Controller, Captive Portal, RADIUS)	654.00	0.00%
<b>Serial over Ethernet Converter, Serial Device Server, Modbus Gateway</b>			
ICS-110	1-Port RS232/422/485 Serial Device Server (1-Port 10/100BASE-TX, -10 to 60 C, Web, Telnet and SNMP management)	131.00	0.00%
ICS-120	2-Port RS232/422/485 Serial Device Server (1-Port 10/100BASE-TX, -10 to 60 C, Web, Telnet and SNMP management)	177.00	0.00%
ICS-115A	1-Port RS232/422/485 Serial Device Server with 1-Port 100BASE-FX SFP (-10 to 60 C, Web, Telnet and SNMP management)	136.00	0.00%
MG-110	1-Port RS232/422/485 Modbus Gateway (1-Port 10/100BASE-TX, -10 to 60 C, Modbus RTU/ASCII, Master/Slave)	183.00	0.00%
MG-120	2-Port RS232/422/485 Modbus Gateway (1-Port 10/100BASE-TX, -10 to 60 C, Modbus RTU/ASCII, Master/Slave)	221.00	0.00%
MG-115A	1-Port RS232/422/485 Modbus Gateway with 1-Port 100BASE-FX SFP (-10 to 60 C, Modbus RTU/ASCII, Master/Slave)	195.00	0.00%
ICS-2100T	IP30 Industrial 1-Port RS232/RS422/RS485 Serial Device Server (1 x 10/100BASE-TX, -40-75 degrees C, dual 9-48V DC, Web, Telnet and SNMP management )	184.00	0.00%
ICS-2102T	IP30 Industrial 1-Port RS232/RS422/RS485 Serial Device Server (1 x 100BASE-FX SC, Multi-mode 2km, -40-75 degrees C, dual 9-48V DC, Web, Telnet and SNMP management )	245.00	0.00%

Sconto Riservato Planet ► 0%

ICS-2102TS	P30 Industrial 1-Port RS232/RS422/RS485 Serial Device Server (1 x 100BASE-FX SC, Single mode 30km, -40~75 degrees C, dual 9~48V DC, Web, Telnet and SNMP management )	260.00	0.00%
ICS-2105AT	IP30 Industrial 1-Port RS232/RS422/RS485 Serial Device Server (1 x 100BASE-FX SFP slot, -40~75 degrees C, dual 9~48V DC, Web, Telnet and SNMP management )	186.00	0.00%
ICS-2200T	IP30 Industrial 2-Port RS232/RS422/RS485 Serial Device Server (2 x 10/100TX, -40~75 degrees C, 15KV isolation, dual 12~48V DC, Web, Telnet and SNMP management )	466.00	0.00%
ICS-2400T	IP40 Industrial 4-Port RS232/RS422/RS485 Serial Device Server (2 x 10/100TX, -40~75 degrees C, 15KV isolation, dual 12~48V DC, Web, Telnet and SNMP management )	666.00	0.00%
IMG-2100T	IP30 Industrial 1-Port RS232/RS422/RS485 Modbus Gateway (1 x 10/100BASE-TX, -40~75 degrees C, dual 9~48V DC, Modbus RTU/ASCII, Master/Slave )	289.00	0.00%
IMG-2102T	IP30 Industrial 1-Port RS232/RS422/RS485 Modbus Gateway (1 x 100BASE-FX SC, Multi-mode 2km, -40~75 degrees C, dual 9~48V DC, Modbus RTU/ASCII, Master/Slave )	319.00	0.00%
IMG-2102TS	IP30 Industrial 1-Port RS232/RS422/RS485 Modbus Gateway (1 x 100BASE-FX SC, Single mode 30km, -40~75 degrees C, dual 9~48V DC, Modbus RTU/ASCII, Master/Slave )	339.00	0.00%
IMG-2105AT	IP30 Industrial 1-Port RS232/RS422/RS485 Modbus Gateway (1 x 100BASE-FX SFP slot, -40~75 degrees C, dual 9~48V DC, Modbus RTU/ASCII, Master/Slave )	295.00	0.00%
IMG-2200T	IP30 Industrial 2-Port RS232/RS422/RS485 Modbus Gateway (2 x 10/100BASE-TX, -40~75 degrees C, 15KV isolation, dual 12~48V DC, Modbus RTU/ASCII, Master/Slave )	516.00	0.00%
IMG-2400T	IP40 Industrial 4-Port RS232/RS422/RS485 Modbus Gateway (2 x 10/100BASE-TX, -40~75 degrees C, 15KV isolation, dual 12~48V DC, 2xDI + 2xDO, Modbus RTU/ASCII, Master/Slave )	725.00	0.00%